

Version: 1.0

.1. Product identifier	of the substance/mixture and of the company/undertaking
Product form	: Mixture
Product name	: ARDEX A 35 MIX
Product code	: 18289
	s of the substance or mixture and uses advised against
.2.1. Relevant identified use	-
Aain use category	: Consumer use, Professional use
Jse of the substance/mixture	: Screeding
.2.2. Uses advised against	
lo additional information available	
.3. Details of the supplier	of the safety data sheet
Manufacturer	
Ardex UK Limited	
Homefield Road CB9 8QP Haverhill Suffolk	
01440 714939 - F 01440 71666	,
afetydatasheets@ardex.co.uk	
.4. Emergency telephone	
mergency number	: +44 (0) 870 190 6777 24 Hours
	ROI: +353 (0)1 809 2166 (available 8am-10pm, 7 days)
SECTION 2: Hazards iden	tification
	bstance or mixture Ilation (EC) No. 1272/2008 [CLP]
	bstance or mixture Ilation (EC) No. 1272/2008 [CLP] H319
Classification according to Reg Serious eye damage/eye irritation Category 2 Full text of hazard classes and H-s Adverse physicochemical, hum	bstance or mixture ulation (EC) No. 1272/2008 [CLP] H319 tatements : see section 16 an health and environmental effects
Classification according to Reg Serious eye damage/eye irritation Category 2 Full text of hazard classes and H-s Adverse physicochemical, hum Causes skin irritation. Causes seri	bstance or mixture ulation (EC) No. 1272/2008 [CLP] H319 tatements : see section 16 an health and environmental effects
Classification according to Reg Serious eye damage/eye irritation Category 2 Full text of hazard classes and H-s Adverse physicochemical, hum Causes skin irritation. Causes seri	bstance or mixture ulation (EC) No. 1272/2008 [CLP] H319 tatements : see section 16 an health and environmental effects bus eye damage.
Classification according to Reg Serious eye damage/eye irritation Category 2 Full text of hazard classes and H-s Adverse physicochemical, hum Causes skin irritation. Causes seri 2.2. Label elements Cabelling according to Regulation	bstance or mixture Ilation (EC) No. 1272/2008 [CLP] H319 tatements : see section 16 an health and environmental effects bus eye damage. on (EC) No. 1272/2008 [CLP] : : : : : : : : : : : : :
Classification according to Reg Serious eye damage/eye irritation Category 2 Full text of hazard classes and H-s Adverse physicochemical, hum Causes skin irritation. Causes seri C.2. Label elements Cabelling according to Regulation Bazard pictograms (CLP)	bstance or mixture ulation (EC) No. 1272/2008 [CLP] H319 tatements : see section 16 an health and environmental effects bus eye damage.
Classification according to Reg Serious eye damage/eye irritation, Category 2 Full text of hazard classes and H-s Adverse physicochemical, hum Causes skin irritation. Causes seri Causes	bstance or mixture Ilation (EC) No. 1272/2008 [CLP] H319 tatements : see section 16 an health and environmental effects bus eye damage. on (EC) No. 1272/2008 [CLP] : : : : : : : : : : : : :
Classification according to Reg Serious eye damage/eye irritation, Category 2 Full text of hazard classes and H-s Adverse physicochemical, hum Causes skin irritation. Causes seri 2.2. Label elements Labelling according to Regulation Hazard pictograms (CLP)	bstance or mixture ulation (EC) No. 1272/2008 [CLP] H319 tatements : see section 16 an health and environmental effects bus eye damage. bus (EC) No. 1272/2008 [CLP] CLPJ CHS07 : Warning : Portland cement
Classification according to Reg Serious eye damage/eye irritation, Category 2 Full text of hazard classes and H-s Adverse physicochemical, hum Causes skin irritation. Causes seri 2.2. Label elements Labelling according to Regulation dazard pictograms (CLP)	bstance or mixture Ilation (EC) No. 1272/2008 [CLP] H319 tatements : see section 16 an health and environmental effects bus eye damage. on (EC) No. 1272/2008 [CLP] : GHS07 : Warning

2.3. Other hazards

PBT: not relevant - no registration required

Safety Data Sheet

according to Regulation (EU) 2015/830

vPvB: not relevant - no registration required

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Portland cement	(CAS No) 65997-15-1 (EC no) 266-043-4	1 - 3	STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317

Comments

: Chromium (VI) compounds < 2 ppm

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/injuries after skin contact	: Irritation.
Symptoms/injuries after eye contact	: Serious damage to eyes.
4.3. Indication of any immediate medic	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Non flammable.
5.2. Special hazards arising from the s	ubstance or mixture
Fire hazard	: No fire hazard.
Explosion hazard	: None.
Hazardous decomposition products in case of	None.
fire	
5.3. Advice for firefighters	
Precautionary measures fire	: No specific measures are necessary.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release me	asures
6.1. Personal precautions, protective e	equipment and emergency procedures
General measures	: Absorb spillage to prevent material damage.
6.1.1. For non-emergency personnel	
Protective equipment	: Precautions for safe handling. See Heading 7.
Emergency procedures	: Avoid contact with skin and eyes.
6.1.2. For emergency responders	-
Emergency procedures	: No specific measures are necessary.
6.2. Environmental precautions Prevent entry to sewers and public waters.	
6.3. Methods and material for containing	
For containment	: Collect spillage.
Methods for cleaning up	: Recover mechanically the product. Minimize generation of dust. Collect spillage. Do not use compressed air for cleaning.
8/23/2016	GB - en 2/6

Safety Data Sheet

according to Regulation (EU) 2015/830

6.4. Reference to other sections	6.4. Reference to other sections				
For further information refer to section 13.	See Heading 8.				
SECTION 7: Handling and stora	ge				
7.1. Precautions for safe handling					
Additional hazards when processed	: See Heading 8.				
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.				
Hygiene measures	: Wear protective gloves. Do not eat, drink or smoke when using this product.				
7.2. Conditions for safe storage, in	cluding any incompatibilities				
Storage conditions	: Protect from moisture. Store in a dry place.				
Incompatible materials	: None.				
Storage area	: dry.				
7.3. Specific end use(s)					
No additional information available					
SECTION 8: Exposure controls/personal protection					
8.1. Control parameters					
Portland cement (65997-15-1)					

United Kingdom Local name Portland cement United Kingdom WEL TWA (mg/m³) 10 mg/m³ Portland cement inhalable dust; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005); Portland cement respirable dust; 4 mg/m³; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)	Portianu cement (65997-15-1	1	
Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005); Portland cement respirable dust; 4 mg/m³; United Kingdom; Time-weighted average exposure limit 8 h; Workplace	United Kingdom	Local name	Portland cement
	United Kingdom	WEL TWA (mg/m³)	Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005); Portland cement respirable dust; 4 mg/m ³ ; United Kingdom; Time-weighted average exposure limit 8 h; Workplace

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Respiratory protection not required in normal conditions. In case of splash hazard: safety glasses. Dust formation: dust mask.

Hand protection:

Protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,15		EN 388

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
Disposable half mask	Туре Р1, Туре Р2	Dust protection	EN 149



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical	and chemical properties	
9.1. Information on b	asic physical and chemical properties	
Physical state	: Solid	
Appearance	: Powder.	
8/23/2016	GB - en	

Safety Data Sheet

according to Regulation (EU) 2015/830	
Colour	: Grey. white.
Odour	: odourless.
Odour threshold	: No data available
pH	: 11 - 12.5
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: > 1250 °C
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not applicable
Density	: 2.75 - 3.2 g/cm ³
Solubility	: Water: 0.1 - 1.5 g/l @ 20°C
Log Pow	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: None.
Oxidising properties	: None.
Explosive limits	: Not applicable
	· · · · · · ·
9.2. Other information	
9.2. Other information Bulk density	: 900 - 1300 kg/m³
Bulk density	
Bulk density SECTION 10: Stability and reactiv	
Bulk density SECTION 10: Stability and reactiv	
Bulk density SECTION 10: Stability and reactiv 10.1. Reactivity Reacts with water.	
Bulk density SECTION 10: Stability and reactive 10.1. Reactivity Reacts with water. 10.2. Chemical stability	
Bulk density SECTION 10: Stability and reactive 10.1. Reactivity Reacts with water. 10.2. Chemical stability Stable under normal conditions.	ity
Bulk density SECTION 10: Stability and reactive 10.1. Reactivity Reacts with water. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reaction	ity IS
Bulk density SECTION 10: Stability and reactive 10.1. Reactivity Reacts with water. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reaction No dangerous reactions known under normal	ity IS
Bulk density SECTION 10: Stability and reactive 10.1. Reactivity Reacts with water. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reaction No dangerous reactions known under normal 10.4. Conditions to avoid	ity ns I conditions of use.
Bulk density SECTION 10: Stability and reactive 10.1. Reactivity Reacts with water. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reaction No dangerous reactions known under normal 10.4. Conditions to avoid None under recommended storage and hand	ity ns I conditions of use.
Bulk density SECTION 10: Stability and reactive 10.1. Reactivity Reacts with water. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reaction No dangerous reactions known under normal 10.4. Conditions to avoid None under recommended storage and hand 10.5. Incompatible materials	ity ns I conditions of use.
Bulk density SECTION 10: Stability and reactive 10.1. Reactivity Reacts with water. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reaction No dangerous reactions known under normal 10.4. Conditions to avoid None under recommended storage and hand 10.5. Incompatible materials Acids. ammonium salts. Aluminium.	ity Is I conditions of use. Iling conditions (see section 7).
Bulk density SECTION 10: Stability and reactive 10.1. Reactivity Reacts with water. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reaction No dangerous reactions known under normal 10.4. Conditions to avoid None under recommended storage and hand 10.5. Incompatible materials Acids. ammonium salts. Aluminium. 10.6. Hazardous decomposition production	ity Is Conditions of use. Illing conditions (see section 7). Intersects
Bulk density SECTION 10: Stability and reactive 10.1. Reactivity Reacts with water. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reaction No dangerous reactions known under normal 10.4. Conditions to avoid None under recommended storage and hand 10.5. Incompatible materials Acids. ammonium salts. Aluminium.	ity Is Conditions of use. Illing conditions (see section 7). Intersects
Bulk density SECTION 10: Stability and reactive 10.1. Reactivity Reacts with water. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reaction No dangerous reactions known under normal 10.4. Conditions to avoid None under recommended storage and hand 10.5. Incompatible materials Acids. ammonium salts. Aluminium. 10.6. Hazardous decomposition products known	ity is conditions of use. ling conditions (see section 7). icts n.
Bulk density SECTION 10: Stability and reactive 10.1. Reactivity Reacts with water. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reaction No dangerous reactions known under normal 10.4. Conditions to avoid None under recommended storage and hand 10.5. Incompatible materials Acids. ammonium salts. Aluminium. 10.6. Hazardous decomposition products known SECTION 11: Toxicological inform	ity is conditions of use. ling conditions (see section 7). its n. its n. itation
Bulk density SECTION 10: Stability and reactive 10.1. Reactivity Reacts with water. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reaction No dangerous reactions known under normal 10.4. Conditions to avoid None under recommended storage and hand 10.5. Incompatible materials Acids. ammonium salts. Aluminium. Acids. and	ity is conditions of use. ling conditions (see section 7). its n. its n. itation
Bulk density SECTION 10: Stability and reactive 10.1. Reactivity Reacts with water. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reaction No dangerous reactions known under normal 10.4. Conditions to avoid None under recommended storage and hand 10.5. Incompatible materials Acids. ammonium salts. Aluminium. 10.6. Hazardous decomposition products known SECTION 11: Toxicological inform 11.1. Information on toxicological effer Acute toxicity	ity is conditions of use. ling conditions (see section 7). icts n. iation cts : Not classified
Bulk density SECTION 10: Stability and reactive 10.1. Reactivity Reacts with water. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reaction No dangerous reactions known under normal 10.4. Conditions to avoid None under recommended storage and hand 10.5. Incompatible materials Acids. ammonium salts. Aluminium. 10.6. Hazardous decomposition products known SECTION 11: Toxicological inform 11.1. Information on toxicological effet	ity is conditions of use. ling conditions (see section 7). ling co
Bulk density SECTION 10: Stability and reactive 10.1. Reactivity Reacts with water. 10.2. Chemical stability Stable under normal conditions. 10.3. Possibility of hazardous reaction No dangerous reactions known under normal 10.4. Conditions to avoid None under recommended storage and hand 10.5. Incompatible materials Acids. ammonium salts. Aluminium. 10.6. Hazardous decomposition products known SECTION 11: Toxicological inform 11.1. Information on toxicological effer Acute toxicity	ity is conditions of use. ling conditions (see section 7). icts n. iation cts : Not classified

	pH: 11 - 12.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

Safety Data Sheet

ccording to Regulation (EU) 2015/830		
Potential adverse human health effects and symptoms	: Irritation: severely irritant to eyes.	
SECTION 12: Ecological information	n	
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.	
Portland cement (65997-15-1)		
LC50 fish 1	> 1000 mg/l (LC50; 96 h)	
12.2. Persistence and degradability ARDEX A 35 MIX		
Persistence and degradability	Not applicable. Inorganic Particulate Substances.	
Portland cement (65997-15-1)		
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
12.3. Bioaccumulative potential		
ARDEX A 35 MIX		

Bioaccumulative potential	No bioaccumulation.	
Portland cement (65997-15-1)		
Bioaccumulative potential	Bioaccumulation: not applicable.	

12.4. Mobility in soil

ARDEX A 35 MIX Ecology - soil None.

12.5. Results of PBT and vPvB assessment

ARDEX A 35 MIX

PBT: not relevant - no registration required

vPvB: not relevant - no registration required

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Regional legislation (waste)	: Disposal must be done according to official regulations.		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.		
Ecology - waste materials	: Avoid release to the environment.		
European List of Waste (LoW) code	: 17 01 01 - concrete 10 13 14 - waste concrete and concrete sludge		

SECTION 14: Transport information

In accordance with ADR / IATA / IMDG

ADR	IMDG	ΙΑΤΑ	
14.1. UN number			
Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	
Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	
Not applicable	Not applicable	Not applicable	
14.4. Packing group			
Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	
No supplementary information available			
<u>i</u>			

Safety Data Sheet

according to Regulation (EU) 2015/830

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation

ARDEX SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product