

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1. Identification of	f the substance/mixture and of the company/undertaking
	f the substance/mixture and of the company/undertaking
1.1. Product identifier Product name	ARDITEX CL POWDER
1.2. Relevant identified uses	s of the substance or mixture and uses advised against
Identified uses	Floor levelling.
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier of	f the safety data sheet
Supplier	Ardex UK Limited Homefield Road Haverhill Suffolk CB9 8QP 01440 714939
Contact person	safetydatasheets@ardex.co.uk
1.4. Emergency telephone r	number
Emergency telephone	+44 (0) 870 190 6777 (24 hours)
SECTION 2: Hazards identit	fication
2.1. Classification of the sub	ostance or mixture
Classification (EC 1272/200	8)
Physical hazards	Not Classified
Health hazards	Eye Dam. 1 - H318 Skin Sens. 1 - H317
Environmental hazards	Not Classified
Human health	When the cement based powder is mixed with water or admixture, a strongly alkaline paste is produced. Cement based products may, until set, cause both irritant and allergic contact dermatitis. Irritrant contact dermatitis is due to a combination of the wetness, alkalinity and abrasiveness of the constituent materials. Allergic contact dermatitis is caused mainly by the sensitivity of the individual's skin to hexavalent chromium salts. Corrosive. Prolonged contact causes serious eye and tissue damage.
Environmental	The product is not expected to be hazardous to the environment.
2.2. Label elements	
Hazard pictograms	

Signal word	Danger
Hazard statements	H317 May cause an allergic skin reaction. H318 Causes serious eye damage.
Precautionary statements	 P102 Keep out of reach of children. P262 Do not get in eyes, on skin, or on clothing. P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P402 Store in a dry place. P501 Dispose of contents/ container in accordance with local regulations.
Contains	ORDINARY PORTLAND CEMENT, CALCIUM SULFOALUMINATE CEMENT, HYDRATED LIME

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ORDINARY PORTLAND CEMEN	г	10-30%
CAS number: 65997-15-1	EC number: 266-043-4	
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
STOT SE 3 - H335		
CALCIUM SULFOALUMINATE C	EMENT	1-5%
CAS number: 12004-14-7		
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
STOT SE 3 - H335		
HYDRATED LIME		1-5%
CAS number: 1305-62-0		1-070
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
The full text for all hazard statemer	its is displayed in Section 16.	

Composition comments

This product contains a reducing agent to ensure that the CrVI content of the cement in the product remains below 2ppm during the defined shelf life of the product.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Consult a physician for specific advice.	
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.	
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention immediately.	
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.	
Eye contact	Remove affected person from source of contamination. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.	
4.2. Most important symptoms	and effects, both acute and delayed	
Inhalation	Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.	
Ingestion	May cause chemical burns in mouth and throat.	
Skin contact	May cause serious chemical burns to the skin.	
Eye contact	May cause severe eye irritation. May cause blurred vision and serious eye damage.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.	
5.2. Special hazards arising fr	om the substance or mixture	
Specific hazards	Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. No unusual fire or explosion hazards noted.	
Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon.	
5.3. Advice for firefighters		
Protective actions during firefighting	No specific firefighting precautions known.	
Special protective equipment for firefighters	Wear chemical protective suit.	
SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.	
6.2. Environmental precautions		
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.	
6.3. Methods and material for containment and cleaning up		

Methods for cleaning up	Avoid contact with skin or inhalation of spillage, dust or vapour. Dampen spillage with water. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses. Collect and place in suitable waste disposal
	containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Usage precautions	Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid handling which leads to dust formation.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure controls/Personal protection		
8.1. Control parameters		
Occupational exposure lin	nite	

Occupational exposure limits

ORDINARY PORTLAND CEMENT

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

CALCIUM SULFOALUMINATE CEMENT

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

HYDRATED LIME

Long-term exposure limit (8-hour TWA): OEL 1 mg/m3 resp.dust WEL = Workplace Exposure Limit OEL = Occupational Exposure Limit.

Ingredient comments WEL = Workplace Exposure Limits

LITHIUM CARBONATE (CAS: 554-13-2)

DNEL

- Inhalation; Long term systemic effects: 10 mg/m³
- Dermal; Long term systemic effects: 64 mg/kg/day
- PNEC
- Fresh water; Intermittent release 0.9 mg/l

8.2. Exposure controls

Protective equipment



products

ARDITEX CL POWDER

Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.	
Eye/face protection	Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.	
Hand protection	Gloves made from the following material may provide suitable chemical protection: Nitrile rubber. The selected gloves should have a breakthrough time of at least >8 hours. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.	
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.	
Hygiene measures	Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Do not eat, drink or smoke when using this product.	
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Use respiratory equipment with particle filter type P2	
Thermal hazards	Not applicable.	
Environmental exposure controls	Avoid release to the environment.	
SECTION 9: Physical and ch	nemical properties	
9.1. Information on basic phy	vsical and chemical properties	
Appearance	Dusty powder.	
рН	pH (concentrated solution): 12-13	
Solubility(ies)	Slightly soluble in water.	
9.2. Other information		
Other information	Not relevant.	
SECTION 10: Stability and re	eactivity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous	s reactions	
Possibility of hazardous reactions	Not applicable.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid contact with acids. Water, moisture.	
10.5. Incompatible materials		
Materials to avoid	Strong acids. Aluminium powder	
10.6. Hazardous decomposit	tion products	
Hazardous decomposition	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).	

SECTION 11: Toxicological information

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Skin corrosion/irritation		
Skin corrosion/irritation	Severe skin irritation.	
Extreme pH	≥ 11.5	
Serious eye damage/irritation		
Serious eye damage/irritation	Causes serious eye damage.	
Respiratory sensitisation		
Respiratory sensitisation	Not known.	
Skin sensitisation		
Skin sensitisation	May cause sensitisation or allergic reactions in sensitive individuals.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Genotoxicity - in vivo	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Specific target organ toxicity -	single exposure	
STOT - single exposure	Based on available data the classification criteria are not met.	
Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Not relevant.	
Inhalation	May cause respiratory system irritation. May cause damage to mucous membranes in nose, throat, lungs and bronchial system. Harmful: danger of serious damage to health by prolonged exposure through inhalation.	
Ingestion	Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.	
Skin contact	The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals.	
Eye contact	Risk of serious damage to eyes. May cause chemical eye burns.	
Acute and chronic health hazards	Repeated exposure in excess of the WEL has been linked with rhinitis and coughing. Skin exposure has been linked to allergic chromium dermatitis.	
SECTION 12: Ecological information		
Ecotoxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.	

12.1. Toxicity

Toxicity	The product is not expected to be hazardous to the environment (LC50 aquatic toxicity rating not determined). The addition of cement based product to water will, however, cause the pH to rise and may, therefore, be toxic to aquatic life in some circumstances.	
12.2. Persistence and degradability		
Persistence and degradability	Not relevant. After hardening, cement presents no toxicity risks. There are no data on the degradability of this product.	
12.3. Bioaccumulative potentia	al	
Bioaccumulative potential	No data available on bioaccumulation.	
12.4. Mobility in soil		
Mobility	The product is non-volatile. The product is insoluble in water and will sediment in water systems.	
12.5. Results of PBT and vPv	B assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
Other adverse effects SECTION 13: Disposal consid		
	lerations	
SECTION 13: Disposal consid	lerations	
SECTION 13: Disposal consid 13.1. Waste treatment method	Is Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Product that contains >2ppm CrVI should be disposed of according to local legislation or should be treated with a reducing agent before use. Product that is within shelf life may be hydrated with water and disposed of according to local legislation. The hydrated product is not hazardous.	
SECTION 13: Disposal consid 13.1. Waste treatment method Disposal methods	Is Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Product that contains >2ppm CrVI should be disposed of according to local legislation or should be treated with a reducing agent before use. Product that is within shelf life may be hydrated with water and disposed of according to local legislation. The hydrated product is not hazardous.	
SECTION 13: Disposal consid 13.1. Waste treatment method Disposal methods SECTION 14: Transport inform	Is Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Product that contains >2ppm CrVI should be disposed of according to local legislation or should be treated with a reducing agent before use. Product that is within shelf life may be hydrated with water and disposed of according to local legislation. The hydrated product is not hazardous.	
SECTION 13: Disposal consid 13.1. Waste treatment method Disposal methods SECTION 14: Transport inform General	Interactions Is Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Product that contains >2ppm CrVI should be disposed of according to local legislation or should be treated with a reducing agent before use. Product that is within shelf life may be hydrated with water and disposed of according to local legislation. The hydrated product is not hazardous. The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
SECTION 13: Disposal consident in the second consident in the second construction is second construction. SECTION 14: Transport inform General Road transport notes	Ierations Is Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Product that contains >2ppm CrVI should be disposed of according to local legislation or should be treated with a reducing agent before use. Product that is within shelf life may be hydrated with water and disposed of according to local legislation. The hydrated product is not hazardous. nation The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). Not classified.	

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

Transport labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Guidance	Workplace Exposure Limits EH40.
Health and environmental listings	None of the ingredients are listed.
Authorisations (Annex XIV Regulation 1907/2006)	No specific authorisations are known for this product.
Restrictions (Annex XVII Regulation 1907/2006)	No specific restrictions on use are known for this product.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments	2
Issued by	Technical Manager
Revision date	27/05/2020
Hazard statements in full	H315 Causes skin irritation.H317 May cause an allergic skin reaction.H318 Causes serious eye damage.H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.