



SAFETY DATA SHEET
ARDEX DPM 1 C R Part B

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name ARDEX DPM 1 C R Part B

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Two part epoxy damp proof membrane

1.3. Details of the supplier of the safety data sheet

Supplier Ardex UK Limited
Homefield Road
Haverhill
Suffolk
CB9 8QP
01440 714939

Contact person safetydatasheets@ardex.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 870 190 6777 (24 hours)

National emergency telephone number ROI:- +353 (0)1 809 2166 (available 8am-10pm, 7 days)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)


Physical hazards Not Classified

Health hazards Acute Tox. 4 - H332 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Repr. 2 - H361 STOT SE 3 - H335

Environmental hazards Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H361 Suspected of damaging fertility or the unborn child.
H411 Toxic to aquatic life with long lasting effects.

ARDEX DPM 1 C R Part B

| | |
|---|--|
| Precautionary statements | <p>P102 Keep out of reach of children.</p> <p>P260 Do not breathe vapour/ spray.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P310 Immediately call a POISON CENTER/ doctor.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p> |
| Contains | <p>4-TERT-BUTYLPHENOL, M-PHENYLENEBIS(METHYLAMINE), Polymer, trimethylhexane-1,6-diamine, Phenol, styrenated, Fatty acids, C18 unsat, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine, BENZYL ALCOHOL, 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL, 3-AMINOPROPYLDIMETHYLAMINE</p> |
| Supplementary precautionary statements | <p>P201 Obtain special instructions before use.</p> <p>P202 Do not handle until all safety precautions have been read and understood.</p> <p>P261 Avoid breathing vapour/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P272 Contaminated work clothing should not be allowed out of the workplace.</p> <p>P273 Avoid release to the environment.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P308+P313 IF exposed or concerned: Get medical advice/ attention.</p> <p>P312 Call a POISON CENTRE/doctor if you feel unwell.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P363 Wash contaminated clothing before reuse.</p> <p>P391 Collect spillage.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> |

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | |
|---------------------------|----------------------|
| 4-TERT-BUTYLPHENOL | 30-60% |
| CAS number: 98-54-4 | EC number: 202-679-0 |
| M factor (Chronic) = 1 | |
| Classification | |
| Skin Irrit. 2 - H315 | |
| Eye Dam. 1 - H318 | |
| Repr. 2 - H361 | |
| Aquatic Chronic 1 - H410 | |

ARDEX DPM 1 C R Part B

| | |
|--|----------------------|
| Polymer | 10-30% |
| CAS number: — | |
| Classification | |
| Skin Corr. 1B - H314 | |
| Eye Dam. 1 - H318 | |
| Skin Sens. 1 - H317 | |
| Aquatic Chronic 3 - H412 | |
| M-PHENYLENEBIS(METHYLAMINE) | 10-30% |
| CAS number: 1477-55-0 | EC number: 216-032-5 |
| Classification | |
| Acute Tox. 4 - H302 | |
| Acute Tox. 4 - H332 | |
| Skin Corr. 1B - H314 | |
| Skin Sens. 1 - H317 | |
| Aquatic Chronic 3 - H412 | |
| trimethylhexane-1,6-diamine | 5-10% |
| CAS number: 25513-64-8 | |
| Classification | |
| Acute Tox. 4 - H302 | |
| Skin Corr. 1B - H314 | |
| Skin Sens. 1 - H317 | |
| Aquatic Chronic 3 - H412 | |
| Phenol, styrenated | 5-10% |
| CAS number: 61788-44-1 | |
| Classification | |
| Skin Irrit. 2 - H315 | |
| Skin Sens. 1 - H317 | |
| Aquatic Chronic 2 - H411 | |
| Fatty acids, C18 unsat, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine | 1-5% |
| CAS number: 68082-29-1 | |
| Classification | |
| Skin Irrit. 2 - H315 | |
| Eye Dam. 1 - H318 | |
| Skin Sens. 1 - H317 | |
| Aquatic Chronic 2 - H411 | |

ARDEX DPM 1 C R Part B

| | |
|--|----------------------|
| BENZYL ALCOHOL | 1-5% |
| CAS number: 100-51-6 | EC number: 202-859-9 |
| Classification | |
| Acute Tox. 4 - H302 | |
| Acute Tox. 4 - H332 | |
| Eye Irrit. 2 - H319 | |
| 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL | <1% |
| CAS number: 90-72-2 | EC number: 202-013-9 |
| Classification | |
| Skin Corr. 1B - H314 | |
| Skin Sens. 1 - H317 | |
| Aquatic Chronic 3 - H412 | |
| 3-AMINOPROPYLDIMETHYLAMINE | <1% |
| CAS number: 109-55-7 | EC number: 203-680-9 |
| Classification | |
| Flam. Liq. 3 - H226 | |
| Acute Tox. 4 - H302 | |
| Acute Tox. 4 - H312 | |
| Skin Corr. 1B - H314 | |
| Skin Sens. 1 - H317 | |
| STOT SE 3 - H335 | |

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------|--|
| Inhalation | Remove affected person from source of contamination. If breathing stops, provide artificial respiration. Keep affected person warm and at rest. Get medical attention immediately. |
| Ingestion | DO NOT induce vomiting. Get medical attention immediately. Rinse mouth thoroughly with water. Give plenty of water to drink. |
| Skin contact | Remove affected person from source of contamination. Remove contaminated clothing. Continue to rinse for at least 15 minutes. Get medical attention. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing. |
| Eye contact | Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention. |

4.2. Most important symptoms and effects, both acute and delayed

General information Get medical attention promptly if symptoms occur after washing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

ARDEX DPM 1 C R Part B

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards In case of fire, toxic and corrosive gases may be formed. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

Hazardous combustion products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.

5.3. Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid or minimise the creation of any environmental contamination.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Do not touch or walk into spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

Storage class Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

M-PHENYLENEBIS(METHYLAMINE) (CAS: 1477-55-0)

PNEC

Fresh water; 0.94 mg/l
marine water; 0.0094 mg/l

BENZYL ALCOHOL (CAS: 100-51-6)

ARDEX DPM 1 C R Part B

| | |
|-------------|---|
| DNEL | Workers - Dermal; Long term : 9.5 mg/kg/day Workers - Inhalation; Long term : 90 mg/m ³ |
| PNEC | Fresh water; 1 mg/l marine water; 0.1 mg/l |

2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL (CAS: 90-72-2)

| | |
|-------------|---|
| DNEL | Workers - Inhalation; Short term : 0.31 mg/m ³ |
| PNEC | Fresh water; 0.84 mg/l ; |

3-AMINOPROPYLDIMETHYLAMINE (CAS: 109-55-7)

| | |
|-------------|--|
| DNEL | Workers - Inhalation; Short term : 9.8 mg/m ³ |
| PNEC | Fresh water; 0.0535 mg/l marine water; 0.00535 mg/l |

8.2. Exposure controls**Protective equipment****Appropriate engineering controls**

Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

The following protection should be worn: Chemical splash goggles.

Hand protection

Use protective gloves. It is recommended that gloves are made of the following material: Viton rubber (fluoro rubber). Nitrile rubber. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Provide eyewash station and safety shower. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. Combination filter, type A2/P2.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|--|-----------------|
| Appearance | Liquid. |
| Colour | Yellowish. |
| Odour | Amine. |
| Melting point | Not determined. |
| Initial boiling point and range | ca. 135°C |
| Flash point | ca. 86°C |

ARDEX DPM 1 C R Part B

| | |
|---------------------------|-----------------------------------|
| Vapour pressure | 0.3 hPa @ °C |
| Solubility(ies) | Not miscible or difficult to mix. |
| Auto-ignition temperature | 380°C |
| Viscosity | 600 mPa s @ 20°C |
| Explosive properties | Not considered to be explosive. |

9.2. Other information

| | |
|-------------------|--------------------------|
| Other information | No information required. |
|-------------------|--------------------------|

SECTION 10: Stability and reactivity

10.1. Reactivity

| | |
|------------|---|
| Reactivity | There are no known reactivity hazards associated with this product. |
|------------|---|

10.2. Chemical stability

| | |
|-----------|---|
| Stability | No decomposition if used according to specifications. |
|-----------|---|

10.3. Possibility of hazardous reactions

| | |
|------------------------------------|---|
| Possibility of hazardous reactions | No potentially hazardous reactions known. |
|------------------------------------|---|

10.4. Conditions to avoid

| | |
|---------------------|--|
| Conditions to avoid | No further relevant information available. |
|---------------------|--|

10.5. Incompatible materials

| | |
|--------------------|--------------------------|
| Materials to avoid | Strong oxidising agents. |
|--------------------|--------------------------|

10.6. Hazardous decomposition products

| | |
|----------------------------------|---|
| Hazardous decomposition products | Poisonous gases/vapours Corrosive gases/vapours |
|----------------------------------|---|

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

| | |
|------------------|----------|
| ATE oral (mg/kg) | 2,730.88 |
|------------------|----------|

Acute toxicity - inhalation

| | |
|----------------------------|------------|
| ATE inhalation (gases ppm) | 257,142.86 |
|----------------------------|------------|

| | |
|-------------------------------|-------|
| ATE inhalation (vapours mg/l) | 11.99 |
|-------------------------------|-------|

| | |
|-----------------------------------|-------|
| ATE inhalation (dusts/mists mg/l) | 85.71 |
|-----------------------------------|-------|

Toxicological information on ingredients.

4-TERT-BUTYLPHENOL

Acute toxicity - oral

| | |
|--|---------|
| Acute toxicity oral (LD ₅₀ mg/kg) | 2,951.0 |
|--|---------|

| | |
|---------|-----|
| Species | Rat |
|---------|-----|

Acute toxicity - dermal

ARDEX DPM 1 C R Part B

Acute toxicity dermal (LD₅₀ 2,288.0
mg/kg)

Species Rabbit

M-PHENYLENEBIS(METHYLAMINE)Acute toxicity - oral

Acute toxicity oral (LD₅₀ 930.0
mg/kg)

Species Rat

ATE oral (mg/kg) 930.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 3,100.0
mg/kg)

Species Rabbit

Notes (dermal LD₅₀)

BENZYL ALCOHOLAcute toxicity - oral

Acute toxicity oral (LD₅₀ 1,360.0
mg/kg)

Species Mouse

ATE oral (mg/kg) 1,360.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.0
mg/kg)

Species Rabbit

2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOLAcute toxicity - oral

Acute toxicity oral (LD₅₀ 2,169.0
mg/kg)

Species Rat

ATE oral (mg/kg) 2,169.0

3-AMINOPROPYLDIMETHYLAMINEAcute toxicity - oral

Acute toxicity oral (LD₅₀ 410.0
mg/kg)

Species Rat

ATE oral (mg/kg) 410.0

Acute toxicity - dermal

ARDEX DPM 1 C R Part B

Acute toxicity dermal (LD₅₀ 1,200.0 mg/kg)

Species Rat

ATE dermal (mg/kg) 1,200.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 24.8

Species Rat

ATE inhalation (vapours mg/l) 24.8

SECTION 12: Ecological information

12.1. Toxicity

Ecological information on ingredients.

4-TERT-BUTYLPHENOL

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >5.1 mg/l, Pimephales promelas (Fat-head Minnow)
LC₅₀, 96 hours: >1 mg/l, Oncorhynchus mykiss (Rainbow trout)
LC₅₀, 48 hours: 1.5 mg/l, Leuciscus idus (Golden orfe)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 4.8 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 72 hours: <100 mg/l, Selenastrum capricornutum
EC₅₀, 72 hours: 14 mg/l, Pseudokirchneriella subcapitata

Acute toxicity - microorganisms EC₅₀, 3 hours: 10 mg/l, Activated sludge

Chronic aquatic toxicity

NOEC 0.01 < NOEC ≤ 0.1

Degradability Non-rapidly degradable

M factor (Chronic) 1

M-PHENYLENEBIS(METHYLAMINE)

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 87.6 mg/l, Oryzias latipes (Red killifish)
LC₅₀, 96 hours: >100 mg/l, Oncorhynchus mykiss (Rainbow trout)
LC₅₀, 96 hours: >100 mg/l, Brachydanio rerio (Zebra Fish)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 15.2 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 72 hours: 20.3 mg/l, Selenastrum capricornutum

trimethylhexane-1,6-diamine

Acute aquatic toxicity

ARDEX DPM 1 C R Part B

| | |
|---|---|
| Acute toxicity - fish | LC ₅₀ , 48 hours: 174 mg/l, Leuciscus idus (Golden orfe) |
| Acute toxicity - aquatic invertebrates | EC ₅₀ , 24 hours: 31.5 mg/l, Daphnia magna |
| Acute toxicity - aquatic plants | EC ₅₀ , 72 hours: 29.5 mg/l, Scenedesmus subspicatus |

Phenol, styrenated

| | |
|--------------------------------------|--|
| <u>Acute aquatic toxicity</u> | |
| Acute toxicity - fish | LL ₅₀ , 96 hours: 14.8 mg/l, Fish |

BENZYL ALCOHOL

| | |
|---|--|
| <u>Acute aquatic toxicity</u> | |
| Acute toxicity - fish | LC ₅₀ , 96 hours: 10 mg/l, Lepomis macrochirus (Bluegill) |
| Acute toxicity - aquatic invertebrates | EC ₅₀ , 24 hours: 400 mg/l, Daphnia magna |

2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL

| | |
|--|--|
| <u>Acute aquatic toxicity</u> | |
| Acute toxicity - fish | LC ₅₀ , 24 hours: 222 mg/l, Oncorhynchus mykiss (Rainbow trout) |
| Acute toxicity - aquatic plants | LC ₅₀ , 72 hours: 84 mg/l, Scenedesmus subspicatus |

3-AMINOPROPYLDIMETHYLAMINE

| | |
|---|---|
| <u>Acute aquatic toxicity</u> | |
| Acute toxicity - fish | LC ₅₀ , 96 hours: 122 mg/l, Leuciscus idus (Golden orfe) |
| Acute toxicity - aquatic invertebrates | EC ₅₀ , 48 hours: 59.5 mg/l, Daphnia magna |
| Acute toxicity - aquatic plants | LC ₅₀ , 72 hours: 53.5 mg/l, Scenedesmus subspicatus |

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|-------------------------|---|
| Disposal methods | Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. |
|-------------------------|---|

SECTION 14: Transport information

14.1. UN number

| | |
|-------------------------|------|
| UN No. (ADR/RID) | 2735 |
| UN No. (IMDG) | 2735 |

ARDEX DPM 1 C R Part B

UN No. (ICAO) 2735

UN No. (ADN) 2735

14.2. UN proper shipping name

Proper shipping name (ADR/RID) AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS M-PHENYLENEBIS(METHYLAMINE), 4-TERT-BUTYLPHENOL)

Proper shipping name (IMDG) AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS M-PHENYLENEBIS(METHYLAMINE), 4-TERT-BUTYLPHENOL, Phenol, styrenated, Fatty acids, C18 unsat, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine)

Proper shipping name (ICAO) AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS M-PHENYLENEBIS(METHYLAMINE), 4-TERT-BUTYLPHENOL)

Proper shipping name (ADN) AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS M-PHENYLENEBIS(METHYLAMINE), 4-TERT-BUTYLPHENOL)

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C7

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

Transport labels**14.4. Packing group**

ADR/RID packing group II

IMDG packing group II

ICAO packing group II

ADN packing group II

14.5. Environmental hazards**Environmentally hazardous substance/marine pollutant****14.6. Special precautions for user**

IMDG Code segregation group 18. Alkalis

EmS F-A, S-B

ADR transport category 2

Emergency Action Code 2X

ARDEX DPM 1 C R Part B

Hazard Identification Number 80
(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78
and the IBC Code**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments 1

Issued by Research and Development Manager

Revision date 10/05/2018

SDS number 20393

Hazard statements in full

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H361 Suspected of damaging fertility or the unborn child.
H361 Suspected of damaging fertility or the unborn child by inhalation.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.