



#### Safety Data Sheet

according to Regulation (EL	J) 2015/830
Date of issue: 8/22/2016	Revision date: 5/29/2019

Supersedes: 8/22/2016

Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking Product identifier 1.1. Product form Mixture Product name : ARDEX P 82, Component B Product code : 18469; 18470 Relevant identified uses of the substance or mixture and uses advised against 1.2. 1.2.1. **Relevant identified uses** Main use category : Construction materials Industrial/Professional use spec : For professional use only Use of the substance/mixture : Primer 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Manufacturer Ardex UK Limited Homefield Road CB9 8QP Haverhill Suffolk T 01440 714939 - F 01440 716667 E-mail address of competent person responsible for the SDS : safetydatasheets@ardex.co.uk 1.4. **Emergency telephone number** Emergency number : +44 (0) 870 190 6777 24 hours ROI: +353 (0)1 809 2166 (available 8am-10pm, 7 days) SECTION 2: Hazards identification Classification of the substance or mixture 2.1. Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 H319 Serious eye damage/eye irritation, Category 2 Skin sensitisation, Category 1 H317 Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

2.2.

Label elements

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

Labelling according to Regulation (EC	) No. 1272/2008 [CLP]
Hazard pictograms (CLP)	: GHS07
Signal word (CLP)	: Warning
Hazardous ingredients	: Isophorondiamine
Hazard statements (CLP)	: H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.
Precautionary statements (CLP)	<ul> <li>P102 - Keep out of reach of children.</li> <li>P280 - Wear eye protection, protective gloves.</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention.</li> </ul>
EUH-statements	: EUH208 - Contains Isophorondiamine, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1), . May produce an allergic reaction.
5/29/2019	GB - en 1/8

Safety Data Sheet

according to Regulation (EU) 2015/830

Extra phrases

: Dispose of contents/container in accordance with regional/national/international/local regulations.

#### 2.3. Other hazards

PBT: not relevant – no registration required vPvB: not relevant – no registration required

#### SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl alcohol	(CAS-No.) 100-51-6 (EC-No.) 202-859-9 (EC Index-No.) 603-057-00-5	1 - 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 3 (Inhalation:vapour), H331
Isophorondiamine	(CAS-No.) 2855-13-2 (EC-No.) 220-666-8 (EC Index-No.) 612-067-00-9 (REACH-no) 01-2119514687-32	1 - 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412
aliphatic polyamine		0,5 - 2	Aquatic Chronic 2, H411
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1),	(CAS-No.) 55965-84-9 (EC Index-No.) 613-167-00-5	< 0.0015	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Dermal), H310 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 2 (Inhalation:vapour), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Name	Product identifier	Specific concentration limits
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1),	(CAS-No.) 55965-84-9 (EC Index-No.) 613-167-00-5	( 0.0015 = <c 1,="" 100)="" <="" h317<br="" sens.="" skin="">( 0.06 =<c 0.6)="" 2,="" <="" h315<br="" irrit.="" skin="">( 0.06 =<c 0.6)="" 2,="" <="" eye="" h319<br="" irrit.="">( 0.6 =<c 100)="" 1b,="" <="" corr.="" h314<="" skin="" th=""></c></c></c></c>

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Remove dirty clothes.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects	: If symptoms persist call a doctor.
4.3. Indication of any immediate medica	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	ibstance or mixture
Fire hazard	: Not dangerous.
Explosion hazard	: None.
Reactivity in case of fire	: Product is not explosive.

# ARDEX P 82, Component B Safety Data Sheet

according to Regulation (EU) 2015/830

Hazardous decomposition products in case of fire	: None.
5.3. Advice for firefighters	
Precautionary measures fire	: Evacuate area.
Firefighting instructions	: Contain the extinguishing fluids by bunding.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	uipment and emergency procedures
General measures	: Absorb spillage to prevent material damage.
6.1.1. For non-emergency personnel	
Protective equipment	: Concerning personal protective equipment to use, see section 8.
Emergency procedures	: Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containme	ent and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).
6.4. Reference to other sections	
For further information refer to section 13. See H	eading 8.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: See Heading 8.
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includir	ng any incompatibilities
Storage conditions	: Store in original container. Protect from sunlight.
Storage area	: Keep out of frost.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/perso	phal protection
8.1. Control parameters	
Contains no substances with occupational expos	
8.2. Exposure controls	
Appropriate engineering controls:	
Ensure good ventilation of the work station.	
Personal protective equipment:	
In case of splash hazard: safety glasses. Gloves.	
Hand protection:	

Protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Natural rubber, Latex, Butyl rubber, Nitrile rubber (NBR)	3 (> 60 minutes)	0,1		
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,7		EN ISO 374

### Eye protection:

Safety Data Sheet

according to Regulation (EU) 2015/830

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

No specific measures are necessary



#### Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and		
Physical state	: Liquid	
Appearance	: Liquid.	
Colour	: milky.	
Odour	: No data available	
Odour threshold	: No data available	
рН	: 5-8.5	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: 100 °C	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Not applicable	
Vapour pressure	: 23 hPa	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: 1 - 1.1 g/cm <sup>3</sup>	
Solubility	: Forms emulsion in presence of water.	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: 100 - 3000 mPa·s	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		
VOC content	: < 3 % VOC - Swiss ordinance	
<b>SECTION 10: Stability and reactivit</b>	y .	
10.1. Reactivity		
None.		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No dangerous reactions known under normal conditions of use.		
10.4. Conditions to avoid		
None under recommended storage and handling conditions (see section 7).		
10.5. Incompatible materials		
None.		
10.6. Hazardous decomposition produc	ts	
No hazardous decomposition products known.		

# ARDEX P 82, Component B Safety Data Sheet

according to Regulation (EU) 2015/830

ECTION 11: Toxicological informa 1.1. Information on toxicological effects	
cute toxicity	: Not classified
benzyl alcohol (100-51-6)	4020 mellin huideu (Det Male Europinentel value Orel)
LD50 oral rat LD50 dermal rabbit	1620 mg/kg bw/day (Rat, Male, Experimental value, Oral)         > 2000 mg/kg (Rabbit, Inconclusive, insufficient data, Dermal)
LC50 inhalation rat (mg/l)	8.8 mg/l/4h
Isophorondiamine (2855-13-2)	
LD50 oral rat	1030 mg/kg (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 inhalation rat (mg/l)	> 5.01 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental valu Inhalation (aerosol), 14 day(s))
kin corrosion/irritation	: Causes skin irritation.
	pH: 5 - 8.5
erious eye damage/irritation	: Causes serious eye irritation.
	pH: 5 - 8.5
espiratory or skin sensitisation	: May cause an allergic skin reaction.
erm cell mutagenicity	: Not classified
arcinogenicity	: Not classified
eproductive toxicity	: Not classified
TOT-single exposure	: Not classified
TOT-repeated exposure	: Not classified
spiration hazard	: Not classified
otential adverse human health effects and mptoms	: No data available.
ECTION 12: Ecological information	n
2.1. Toxicity	
cology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
benzyl alcohol (100-51-6)	
LC50 fish 1	460 mg/l (EPA OPP 72-1, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 Daphnia 1	230 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Fresh water, Experimental value, GLP)
ErC50 (algae)	770 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
sophorondiamine (2855-13-2)	
LC50 fish 1	110 mg/l (EU Method C.1, 96 h, Leuciscus idus, Semi-static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	23 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h algae (1)	37 mg/l (EU Method C.3, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)

ARDEX P 82, Component B	
Persistence and degradability	Not applicable.
benzyl alcohol (100-51-6)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.6 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	$2.4 \text{ g O}_2/\text{g substance}$
ThOD	2.5 g O <sub>2</sub> /g substance
Isophorondiamine (2855-13-2)	
Persistence and degradability	Not readily biodegradable in water.

Safety Data Sheet

according to Regulation (EU) 2015/830

12.3. Bioaccumulative potential		
ARDEX P 82, Component B		
Bioaccumulative potential	No bioaccumulation.	
benzyl alcohol (100-51-6)		
Log Pow	1 - 1.1 (Experimental value, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Isophorondiamine (2855-13-2)		
BCF other aquatic organisms 1	3.16 (BCFWIN, QSAR)	
Log Pow	0.99 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 23 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
12.4. Mobility in soil		
ARDEX P 82, Component B		
Ecology - soil	No information available.	
benzyl alcohol (100-51-6)		
Surface tension	39 mN/m (20 °C)	
Ecology - soil	No (test)data on mobility of the substance available.	
Isophorondiamine (2855-13-2)		
Surface tension	3.47 N/m (23 °C)	
Log Koc	2.97 (log Koc, QSAR)	
Ecology - soil	Low potential for adsorption in soil.	
12.5. Results of PBT and vPvB asses	sment	
ARDEX P 82, Component B		
PBT: not relevant – no registration required	d	
vPvB: not relevant – no registration require	ed	
Component		
benzyl alcohol (100-51-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Isophorondiamine (2855-13-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
12.6. Other adverse effects		
Additional information	: Avoid release to the environment.	
SECTION 13: Disposal considera	tions	
13.1. Waste treatment methods		
Mante the star and an atlanda		

Sewage disposal recommendations : 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09

: Dispose of contents/container in accordance with licensed collector's sorting instructions. : Do not put down the drain. Must undergo physico-chemical treatment prior to disposal.

European List of Waste (LoW) code **SECTION 14: Transport information** 

In accordance with ADR / RID / IMDG / IATA / ADN				
ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

Safety Data Sheet

according to Regulation (EU) 2015/830

#### 14.6. Special precautions for user

- Overland transport

Not applicable

#### - Transport by sea

Not applicable

#### - Air transport

Not applicable

- Inland waterway transport Not applicable

#### - Rail transport

Not applicable

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

#### Not applicable

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

VOC content

: < 3 % VOC - Swiss ordinance

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

#### Full text of H- and EUH-statements:

Full text of H- and EUH-statements:			
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2		
Acute Tox. 2 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 2		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3		
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Skin Corr. 1A	Skin corrosion/irritation, Category 1A		
Skin Corr. 1B	Skin corrosion/irritation, Category 1B		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H310	Fatal in contact with skin.		
H311	Toxic in contact with skin.		
H312	Harmful in contact with skin.		
H314	Causes severe skin burns and eye damage.		

Safety Data Sheet

according to Regulation (EU) 2015/830

H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH208	Contains Isophorondiamine, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1), . May produce an allergic reaction.	

#### ARDEX SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.