

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name ARDEX PSRS Part B

Internal identification 18456

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Consolidation Resin

# 1.3. Details of the supplier of the safety data sheet

Supplier Ardex UK Limited

Homefield Road

Haverhill Suffolk CB9 8QP 01440 714939

Contact person safetydatasheets@ardex.co.uk

### 1.4. Emergency telephone number

**Emergency telephone** +44 (0) 870 190 6777 (24 hours)

National emergency telephone ROI:- +353 (0)1 809 2166 (available 8am-10pm, 7 days)

number

### SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens.

1 - H317 Repr. 2 - H361

Environmental hazards Aquatic Chronic 1 - H410

### 2.2. Label elements

# Hazard pictograms









Signal word Danger

Hazard statements H302+H332 Harmful if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child. H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements** P102 Keep out of reach of children.

P261 Avoid breathing vapour/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P273 Avoid release to the environment.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/ container in accordance with national regulations.

Contains 4-TERT-BUTYLPHENOL, M-PHENYLENEBIS (METHYLAMINE), trimethylhexane-1,6-

diamine, Phenol, styrenated

#### 2.3. Other hazards

# SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

4-TERT-BUTYLPHENOL 25-50%

CAS number: 98-54-4 EC number: 202-679-0

M factor (Chronic) = 1

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Repr. 2 - H361

Aquatic Chronic 1 - H410

# M-PHENYLENEBIS(METHYLAMINE) 25-50%

CAS number: 1477-55-0 EC number: 216-032-5

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Chronic 3 - H412

# trimethylhexane-1,6-diamine

CAS number: 25513-64-8

Classification

Acute Tox. 4 - H302 Skin Corr. 1B - H314 Skin Sens. 1 - H317 Aquatic Chronic 3 - H412 10-25%

Revision date: 07/09/2022

#### **ARDEX PSRS Part B**

Phenol, styrenated 2.5-10%

CAS number: 61788-44-1

Classification

Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Inhalation Remove affected person from source of contamination. If breathing stops, provide artificial

respiration. Keep affected person warm and at rest. Get medical attention immediately.

Ingestion DO NOT induce vomiting. Get medical attention immediately. Rinse mouth thoroughly with

water. Give plenty of water to drink.

**Skin contact** Remove affected person from source of contamination. Remove contaminated clothing.

Continue to rinse for at least 15 minutes. Get medical attention. Wash skin thoroughly with

soap and water. Get medical attention promptly if symptoms occur after washing.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

General information Get medical attention promptly if symptoms occur after washing.

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor 
No specific recommendations. If in doubt, get medical attention promptly.

### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards In case of fire, toxic and corrosive gases may be formed. Thermal decomposition or

combustion products may include the following substances: Toxic gases or vapours.

Hazardous combustion Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

**products** vapours. Oxides of carbon. Oxides of nitrogen.

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

### 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Do not touch or walk into spilled material. Collect and place in suitable waste disposal

containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty

of water.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8.

#### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container.

Storage class Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

### M-PHENYLENEBIS(METHYLAMINE) (CAS: 1477-55-0)

PNEC Fresh water; 0.94 mg/l

marine water; 0.0094 mg/l

### 8.2. Exposure controls

#### Protective equipment







Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

The following protection should be worn: Chemical splash goggles.

Hand protection

Use protective gloves. It is recommended that gloves are made of the following material: Viton rubber (fluoro rubber). Nitrile rubber. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Provide eyewash station and safety shower. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

Revision date: 07/09/2022

#### **ARDEX PSRS Part B**

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn. Combination filter,

type A2/P2.

### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Yellowish.
Odour Amine.

Melting point Not determined.

Initial boiling point and range ca. 135°C
Flash point ca. 86°C

Vapour pressure 0.3 hPa @ °C

Solubility(ies) Not miscible or difficult to mix.

Auto-ignition temperature 380°C

Viscosity 600 mPa s @ 20°C

**Explosive properties** Not considered to be explosive.

9.2. Other information

Other information No information required.

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** No decomposition if used according to specifications.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous

No potentially hazardous reactions known.

reactions

10.4. Conditions to avoid

Conditions to avoid No further relevant information available.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

# 10.6. Hazardous decomposition products

Hazardous decomposition

Poisonous gases/vapours Corrosive gases/vapours

products

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity - oral

**ATE oral (mg/kg)** 1,327.62

### Acute toxicity - inhalation

ATE inhalation (gases ppm) 12,000.0

ATE inhalation (vapours mg/l) 29.33

ATE inhalation (dusts/mists 4.0

mg/l)

### Toxicological information on ingredients.

### 4-TERT-BUTYLPHENOL

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 2,951.0

mg/kg)

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 2,288.0

mg/kg)

Species Rabbit

# M-PHENYLENEBIS(METHYLAMINE)

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 930.0

mg/kg)

Species Rat

**ATE oral (mg/kg)** 930.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 3,100.0

mg/kg)

Species Rabbit

Notes (dermal LD50)

# SECTION 12: Ecological information

#### 12.1. Toxicity

# Ecological information on ingredients.

# 4-TERT-BUTYLPHENOL

Acute aquatic toxicity

**Acute toxicity - fish** LC₅₀, 96 hours: >5.1 mg/l, Pimephales promelas (Fat-head Minnow)

LC<sub>50</sub>, 96 hours: >1 mg/l, Oncorhynchus mykiss (Rainbow trout)

LC<sub>50</sub>, 48 hours: 1.5 mg/l, Leuciscus idus (Golden orfe)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 4.8 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC<sub>50</sub>, 72 hours: <100 mg/l, Selenastrum capricornutum EC<sub>50</sub>, 72 hours: 14 mg/l, Pseudokirchneriella subcapitata

**Acute toxicity -** EC<sub>50</sub>, 3 hours: 10 mg/l, Activated sludge

microorganisms

Revision date: 07/09/2022

#### ARDEX PSRS Part B

Chronic aquatic toxicity

**NOEC** 0.01 < NOEC ≤ 0.1

**Degradability** Non-rapidly degradable

M factor (Chronic) 1

M-PHENYLENEBIS (METHYLAMINE)

Acute aquatic toxicity

Acute toxicity - fish LC50, 96 hours: 87.6 mg/l, Oryzias latipes (Red killifish)

LC<sub>50</sub>, 96 hours: >100 mg/l, Oncorhynchus mykiss (Rainbow trout)

LC₅o, 96 hours: >100 mg/l, Brachydanio rerio (Zebra Fish)

Acute toxicity - aquatic

invertebrates

EC₅o, 48 hours: 15.2 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC<sub>80</sub>, 72 hours: 20.3 mg/l, Selenastrum capricornutum

trimethylhexane-1,6-diamine

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 48 hours: 174 mg/l, Leuciscus idus (Golden orfe)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 24 hours: 31.5 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC<sub>50</sub>, 72 hours: 29.5 mg/l, Scenedesmus subspicatus

Phenol, styrenated

Acute aquatic toxicity

Acute toxicity - fish LL<sub>50</sub>, 96 hours: 14.8 mg/l, Fish

12.2. Persistence and degradability

Persistence and degradability No further relevant information available.

12.3. Bioaccumulative potential

Bioaccumulative potential No further relevant information available.

12.4. Mobility in soil

**Mobility** No further relevant information available

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

No data available.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

### SECTION 14: Transport information

# 14.1. UN number

UN No. (ADR/RID) 2735 UN No. (IMDG) 2735 UN No. (ICAO) 2735 UN No. (ADN) 2735

### 14.2. UN proper shipping name

Proper shipping name POLYAMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine))

(ADR/RID)

Proper shipping name (IMDG) POLYAMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine))

Proper shipping name (ICAO) POLYAMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine))

Proper shipping name (ADN) POLYAMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine))

# 14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C7

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

### Transport labels



### 14.4. Packing group

ADR/RID packing group III
IMDG packing group III
ICAO packing group III
ADN packing group III

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

IMDG Code segregation 18. Alkalis

group

**EmS** F-A, S-B

ADR transport category 3

Emergency Action Code 2X

Hazard Identification Number 80

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to** Not applicable. **Annex II of MARPOL 73/78** 

and the IBC Code

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

# SECTION 16: Other information

Revision comments 2

**Issued by**UK Regulatory and Product Compliance Officer

Revision date 07/09/2022

SDS number 20381

Hazard statements in full H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H361 Suspected of damaging fertility or the unborn child.

H361 Suspected of damaging fertility or the unborn child by inhalation.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.