



## SAFETY DATA SHEET ARDEX R 6 E Part B

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** ARDEX R 6 E Part B

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Primer.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** Ardex UK Limited  
Homefield Road  
Haverhill  
Suffolk  
CB9 8QP  
01440 714939

**Contact person** safetydatasheets@ardex.co.uk

#### 1.4. Emergency telephone number

**Emergency telephone** +44 (0) 870 190 6777 (24 hours)

**National emergency telephone number** ROI:- +353 (0)1 809 2166 (available 8am-10pm, 7 days)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (SI 2019 No. 720)

**Physical hazards** Not Classified

**Health hazards** Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Repr. 1A - H360Fd

**Environmental hazards** Aquatic Chronic 2 - H411

#### 2.2. Label elements

##### Hazard pictograms



**Signal word**

Danger

##### Hazard statements

H318 Causes serious eye damage.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H360Fd May damage fertility. Suspected of damaging the unborn child.  
H411 Toxic to aquatic life with long lasting effects.

## ARDEX R 6 E Part B

<b>Precautionary statements</b>	<p>P102 Keep out of reach of children.</p> <p>P261 Avoid breathing vapour/ spray.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P273 Avoid release to the environment.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
<b>Contains</b>	<p>2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL, 3-AMINOPROPYLDIMETHYLAMINE, ISOPHORONEDIAMINE, 4,4'-ISOPROPYLIDENEDIPHENOL, M-PHENYLENEBIS(METHYLAMINE)</p>

### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>BENZYL ALCOHOL</b>	<b>25-50%</b>
CAS number: 100-51-6	EC number: 202-859-9
<b>Classification</b>	
Acute Tox. 4 - H302	
Acute Tox. 4 - H332	
Eye Irrit. 2 - H319	
<b>2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL</b>	<b>2.5-10%</b>
CAS number: 90-72-2	EC number: 202-013-9
<b>Classification</b>	
Acute Tox. 4 - H302	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
<b>ISOPHORONEDIAMINE</b>	<b>2.5-10%</b>
CAS number: 2855-13-2	EC number: 220-666-8
<b>Classification</b>	
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
Aquatic Chronic 3 - H412	

## ARDEX R 6 E Part B

<b>4,4'-ISOPROPYLDENEDIPHENOL</b>	<b>2.5-10%</b>
CAS number: 80-05-7	EC number: 201-245-8
<b>Classification</b>	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
Repr. 1A - H360F	
STOT SE 3 - H335	
Aquatic Chronic 2 - H411	
<b>M-PHENYLENEBIS(METHYLAMINE)</b>	<b>2.5-10%</b>
CAS number: 1477-55-0	EC number: 216-032-5
<b>Classification</b>	
Acute Tox. 4 - H302	
Acute Tox. 4 - H332	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
Aquatic Chronic 3 - H412	
<b>3-AMINOPROPYLDIMETHYLAMINE</b>	<b>2.5-10%</b>
CAS number: 109-55-7	EC number: 203-680-9
<b>Classification</b>	
Flam. Liq. 3 - H226	
Acute Tox. 4 - H302	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
STOT SE 3 - H335	

The full text for all hazard statements is displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove affected person from source of contamination. If breathing stops, provide artificial respiration. Keep affected person warm and at rest. Get medical attention immediately.
<b>Ingestion</b>	DO NOT induce vomiting. Get medical attention immediately. Rinse mouth thoroughly with water. Give plenty of water to drink.
<b>Skin contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Continue to rinse for at least 15 minutes. Get medical attention. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

**General information** Get medical attention promptly if symptoms occur after washing.

#### 4.3. Indication of any immediate medical attention and special treatment needed

## ARDEX R 6 E Part B

**Notes for the doctor** No specific recommendations. If in doubt, get medical attention promptly.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media** Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

#### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** In case of fire, toxic and corrosive gases may be formed. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

**Hazardous combustion products** Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.

#### 5.3. Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapours.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Do not touch or walk into spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

**Storage class** Corrosive storage.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

**BENZYL ALCOHOL (CAS: 100-51-6)**

## ARDEX R 6 E Part B

**DNEL** Workers - Dermal; Long term : 9.5 mg/kg/day  
Workers - Inhalation; Long term : 90 mg/m<sup>3</sup>

**PNEC** Fresh water; 1 mg/l  
marine water; 0.1 mg/l

### 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL (CAS: 90-72-2)

**DNEL** Workers - Inhalation; Short term : 0.31 mg/m<sup>3</sup>

**PNEC** Fresh water; 0.84 mg/l  
;

### 3-AMINOPROPYLDIMETHYLAMINE (CAS: 109-55-7)

**DNEL** Workers - Inhalation; Short term : 9.8 mg/m<sup>3</sup>

**PNEC** Fresh water; 0.0535 mg/l  
marine water; 0.00535 mg/l

### 4,4'-ISOPROPYLIDENEDIPHENOL (CAS: 80-05-7)

**DNEL** Workers - Dermal; Short term : 1.4 mg/kg/day  
Workers - Inhalation; Short term : 10 mg/m<sup>3</sup>

**PNEC** Fresh water; 0.018 mg/l  
marine water; 0.016 mg/l

### ISOPHORONEDIAMINE (CAS: 2855-13-2)

**DNEL** Workers - Inhalation; Short term : 20.1 mg/m<sup>3</sup>

**PNEC** Fresh water; 0.06 mg/l  
marine water; 0.006 mg/l

### M-PHENYLENEBIS(METHYLAMINE) (CAS: 1477-55-0)

**PNEC** Fresh water; 0.94 mg/l  
marine water; 0.0094 mg/l

## 8.2. Exposure controls

### Protective equipment



### Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.

### Eye/face protection

The following protection should be worn: Chemical splash goggles.

### Hand protection

Use protective gloves. It is recommended that gloves are made of the following material: Viton rubber (fluoro rubber). Nitrile rubber. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.

### Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

## ARDEX R 6 E Part B

<b>Hygiene measures</b>	Provide eyewash station and safety shower. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.
<b>Respiratory protection</b>	If ventilation is inadequate, suitable respiratory protection must be worn. Combination filter, type A2/P2.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Yellowish.
<b>Odour</b>	Amine.
<b>Melting point</b>	Not determined.
<b>Initial boiling point and range</b>	ca. 135°C
<b>Flash point</b>	ca. 86°C
<b>Vapour pressure</b>	0.3 hPa @ °C
<b>Solubility(ies)</b>	Immiscible with water.
<b>Auto-ignition temperature</b>	380°C
<b>Viscosity</b>	600 mPa s @ 20°C
<b>Explosive properties</b>	Not considered to be explosive.

#### 9.2. Other information

<b>Other information</b>	No information required.
--------------------------	--------------------------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
-------------------	---

#### 10.2. Chemical stability

<b>Stability</b>	Stable under the prescribed storage conditions.
------------------	---

#### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	No potentially hazardous reactions known.
---	---

#### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	No specific requirements are anticipated under normal conditions of use.
----------------------------	--

#### 10.5. Incompatible materials

<b>Materials to avoid</b>	Strong oxidising agents.
---------------------------	--------------------------

#### 10.6. Hazardous decomposition products

<b>Hazardous decomposition products</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
---	--

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

## ARDEX R 6 E Part B

### Acute toxicity - dermal

ATE dermal (mg/kg) 29,440.0

**Inhalation** Vapour may irritate respiratory system/lungs.

**Ingestion** Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.

**Skin contact** May cause skin irritation/eczema.

**Eye contact** Causes burns.

### Toxicological information on ingredients.

#### BENZYL ALCOHOL

##### Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> mg/kg) 1,360.0

Species Mouse

ATE oral (mg/kg) 1,360.0

##### Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> mg/kg) 2,000.0

Species Rabbit

#### 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL

##### Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> mg/kg) 2,169.0

Species Rat

ATE oral (mg/kg) 500.0

#### ISOPHORONEDIAMINE

##### Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> mg/kg) 1,030.0

Species Rat

ATE oral (mg/kg) 1,030.0

##### Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> mg/kg) 1,840.0

Species Rabbit

ATE dermal (mg/kg) 1,840.0

#### 4,4'-ISOPROPYLIDENEDIPHENOL

**ARDEX R 6 E Part B****Acute toxicity - oral**

Acute toxicity oral (LD<sub>50</sub>  
mg/kg) 3,250.0

Species Rat

ATE oral (mg/kg) 3,250.0

**Acute toxicity - dermal**

Acute toxicity dermal (LD<sub>50</sub>  
mg/kg) 3,000.0

Species Rat

ATE dermal (mg/kg) 3,000.0

**Acute toxicity - inhalation**

Acute toxicity inhalation  
(LC<sub>50</sub> vapours mg/l) 5.0

Species Rat

**M-PHENYLENEBIS(METHYLAMINE)****Acute toxicity - oral**

Acute toxicity oral (LD<sub>50</sub>  
mg/kg) 930.0

Species Rat

ATE oral (mg/kg) 930.0

**Acute toxicity - dermal**

Acute toxicity dermal (LD<sub>50</sub>  
mg/kg) 3,100.0

Species Rabbit

Notes (dermal LD<sub>50</sub>)

**3-AMINOPROPYLDIMETHYLAMINE****Acute toxicity - oral**

Acute toxicity oral (LD<sub>50</sub>  
mg/kg) 410.0

Species Rat

ATE oral (mg/kg) 410.0

**Acute toxicity - dermal**

Acute toxicity dermal (LD<sub>50</sub>  
mg/kg) 1,200.0

Species Rat

**Acute toxicity - inhalation**

Acute toxicity inhalation  
(LC<sub>50</sub> vapours mg/l) 24.8

## ARDEX R 6 E Part B

<b>Species</b>	Rat
<b>ATE inhalation (vapours mg/l)</b>	24.8

### SECTION 12: Ecological information

**Ecotoxicity** No data on possible environmental effects have been found.

#### 12.1. Toxicity

##### Ecological information on ingredients.

#### BENZYL ALCOHOL

##### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 10 mg/l, *Lepomis macrochirus* (Bluegill)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 24 hours: 400 mg/l, *Daphnia magna*

#### 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL

##### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 24 hours: 222 mg/l, *Oncorhynchus mykiss* (Rainbow trout)

**Acute toxicity - aquatic plants** LC<sub>50</sub>, 72 hours: 84 mg/l, *Scenedesmus subspicatus*

#### ISOPHORONEDIAMINE

##### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 110 mg/l, *Leuciscus idus* (Golden orfe)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 23 mg/l, *Daphnia magna*

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 72 hours: >50 mg/l, *Scenedesmus subspicatus*

#### 4,4'-ISOPROPYLIDENEDIPHENOL

##### Acute aquatic toxicity

**Acute toxicity - fish** EC<sub>50</sub>, 96 hours: 42 mg/l, Fish

#### M-PHENYLENEBIS(METHYLAMINE)

##### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 87.6 mg/l, *Oryzias latipes* (Red killifish)  
LC<sub>50</sub>, 96 hours: >100 mg/l, *Oncorhynchus mykiss* (Rainbow trout)  
LC<sub>50</sub>, 96 hours: >100 mg/l, *Brachydanio rerio* (Zebra Fish)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 15.2 mg/l, *Daphnia magna*

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 72 hours: 20.3 mg/l, *Selenastrum capricornutum*

#### 3-AMINOPROPYLDIMETHYLAMINE

## ARDEX R 6 E Part B

### Acute aquatic toxicity

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: 122 mg/l, Leuciscus idus (Golden orfe)
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 59.5 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	LC <sub>50</sub> , 72 hours: 53.5 mg/l, Scenedesmus subspicatus

### 12.2. Persistence and degradability

**Persistence and degradability** No data available.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

### 12.4. Mobility in soil

**Mobility** Not relevant, due to the form of the product.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** No data available.

### 12.6. Other adverse effects

**Other adverse effects** Not determined.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## SECTION 14: Transport information

### 14.1. UN number

<b>UN No. (ADR/RID)</b>	2735
<b>UN No. (IMDG)</b>	2735
<b>UN No. (ICAO)</b>	2735
<b>UN No. (ADN)</b>	2735

### 14.2. UN proper shipping name

<b>Proper shipping name (ADR/RID)</b>	AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL, 3-AMINOPROPYLDIMETHYLAMINE)
<b>Proper shipping name (IMDG)</b>	AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL, 3-AMINOPROPYLDIMETHYLAMINE)
<b>Proper shipping name (ICAO)</b>	AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL, 3-AMINOPROPYLDIMETHYLAMINE)
<b>Proper shipping name (ADN)</b>	AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL, 3-AMINOPROPYLDIMETHYLAMINE)

### 14.3. Transport hazard class(es)

<b>ADR/RID class</b>	8
<b>ADR/RID classification code</b>	C7

## ARDEX R 6 E Part B

ADR/RID label	8
IMDG class	8
ICAO class/division	8
ADN class	8

### Transport labels



#### 14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II
ADN packing group	II

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

IMDG Code segregation group	18. Alkalis
EmS	F-A, S-B
ADR transport category	2
Emergency Action Code	2X
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Guidance Workplace Exposure Limits EH40.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

Revision comments	3
Issued by	UK Regulatory and Product Compliance Officer
Revision date	07/09/2022

## ARDEX R 6 E Part B

<b>Supersedes date</b>	07/08/2019
<b>SDS number</b>	20399
<b>Hazard statements in full</b>	H226 Flammable liquid and vapour. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H360F May damage fertility. H360Fd May damage fertility. Suspected of damaging the unborn child. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.