

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	ARDEX WPM 200 Part B	
1.2. Relevant identified uses	s of the substance or mixture and uses advised against	
Identified uses	For professional use only. Primer. Damp Proof Membrane. Waterproof coating.	
Uses advised against	No specific uses advised against are identified.	
1.3. Details of the supplier of	of the safety data sheet	
Supplier	Ardex UK Limited Homefield Road Haverhill Suffolk CB9 8QP 01440 714939	
Contact person	safetydatasheets@ardex.co.uk	
1.4. Emergency telephone r	number	
Emergency telephone	+44 (0) 870 190 6777 (24 hours)	
National emergency telephonumber	one ROI:- +353 (0)1 809 2166 (available 8am-10pm, 7 days)	
SECTION 2: Hazards identi	fication	
2.1. Classification of the sub		
Classification (SI 2019 No. 7 Physical hazards	720) Not Classified	
-		
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Repr. 1B - H360Fd	
Environmental hazards 2.2. Label elements	Aquatic Chronic 2 - H411	
Hazard pictograms		
Signal word	Danger	
Hazard statements	H318 Causes serious eye damage. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.	

H360Fd May damage fertility. Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

ARDEX WPM 200 Part B

Precautionary statements	 P102 Keep out of reach of children. P261 Avoid breathing vapour/ spray. P280 Wear protective clothing, gloves, eye and face protection. P273 Avoid release to the environment. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/ container in accordance with national regulations.
Contains	Fatty acids, C18 unsat, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine, Fatty Acids, C18-unsaturated, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine reaction products with bisphenol A diglycidyl ether, 2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL, 3-AMINOPROPYLDIMETHYLAMINE, ISOPHORONEDIAMINE, 4,4'-ISOPROPYLIDENEDIPHENOL, 3-AMINOPROPYLTRIETHOXYSILANE, M-PHENYLENEBIS(METHYLAMINE), SALICYLIC ACID, Fatty acids, C18-unsaturated, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine, reaction products with glycidyl tolyl ether

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Fatty acids, C18 unsat, dimers, o with tall-oil fatty acids and triethy	-	10-30%
CAS number: 68082-29-1		
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
Aquatic Chronic 2 - H411		
BENZYL ALCOHOL		10-30%
CAS number: 100-51-6	EC number: 202-859-9	
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H332		
Eye Irrit. 2 - H319		
Fatty Acids, C18-unsaturated, di products with tall-oil fatty acids a reaction products with bisphenol	nd triethylenetetramine	10-30%
CAS number: 2414889-39-5		
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318		

3-AMINOPROPYLTRIETHOXYSILANE		1-5%
CAS number: 919-30-2	EC number: 213-048-4	
Classification Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317		
SALICYLIC ACID CAS number: 69-72-7		1-5%
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318 Repr. 2 - H361d		
Fatty acids, C18-unsaturated, dimers, c products with tall-oil fatty acids and tried reaction products with glycidyl tolyl ethe CAS number: —	hylenetetramine,	1-5%
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411		
2,4,6-TRIS(DIMETHYLAMINOMETHYL		1-5%
CAS number: 90-72-2	EC number: 202-013-9	
Classification Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318		
M-PHENYLENEBIS(METHYLAMINE)		1-5%
CAS number: 1477-55-0	EC number: 216-032-5	
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Chronic 3 - H412		

ISOPHORONEDIAMINE		1-5%
CAS number: 2855-13-2	EC number: 220-666-8	
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
Aquatic Chronic 3 - H412		
3-AMINOPROPYLDIMETHYLAM	INE	1-5%
CAS number: 109-55-7	EC number: 203-680-9	
Classification		
Flam. Liq. 3 - H226		
Acute Tox. 4 - H302		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
STOT SE 3 - H335		
4,4'-ISOPROPYLIDENEDIPHEN	01	1-5%
CAS number: 80-05-7	EC number: 201-245-8	
Classification		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
Repr. 1A - H360F		
STOT SE 3 - H335		
Aquatic Chronic 2 - H411		
The full text for all hazard stateme	nts is displayed in Section 16.	
SECTION 4: First aid measures		

4.1. Description of first aid measures

Inhalation	Remove affected person from source of contamination. If breathing stops, provide artificial respiration. Keep affected person warm and at rest. Get medical attention immediately.	
Ingestion	DO NOT induce vomiting. Get medical attention immediately. Rinse mouth thoroughly with water. Give plenty of water to drink.	
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Continue to rinse for at least 15 minutes. Get medical attention. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.	
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.	
4.2. Most important symptoms and effects, both acute and delayed		
General information	Get medical attention promptly if symptoms occur after washing.	
4.3. Indication of any immediate medical attention and special treatment needed		

Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.	
5.2. Special hazards arising from	om the substance or mixture	
Specific hazards	In case of fire, toxic and corrosive gases may be formed. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.	
Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.	
5.3. Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.	
6.2. Environmental precaution	S	
Environmental precautions	Avoid or minimise the creation of any environmental contamination.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Do not touch or walk into spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water.	
6.4. Reference to other section	IS	
Reference to other sections	For personal protection, see Section 8.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	Avoid spilling. Avoid contact with skin and eyes.	
7.2. Conditions for safe storag	e, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.	
Storage class	Corrosive storage.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure control	SECTION 8: Exposure controls/Personal protection	
8.1. Control parameters		

BENZYL ALCOHOL (CAS: 100-51-6)

DNEL	Workers - Dermal; Long term : 9.5 mg/kg/day Workers - Inhalation; Long term : 90 mg/m³
PNEC	Fresh water; 1 mg/l marine water; 0.1 mg/l
	2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL (CAS: 90-72-2)
DNEL	Workers - Inhalation; Short term : 0.31 mg/m³
PNEC	Fresh water; 0.84 mg/l ;
	3-AMINOPROPYLDIMETHYLAMINE (CAS: 109-55-7)
DNEL	Workers - Inhalation; Short term : 9.8 mg/m ³
PNEC	Fresh water; 0.0535 mg/l marine water; 0.00535 mg/l
	4,4'-ISOPROPYLIDENEDIPHENOL (CAS: 80-05-7)
DNEL	Workers - Dermal; Short term : 1.4 mg/kg/day Workers - Inhalation; Short term : 10 mg/m³
PNEC	Fresh water; 0.018 mg/l marine water; 0.016 mg/l
	ISOPHORONEDIAMINE (CAS: 2855-13-2)
DNEL	Workers - Inhalation; Short term : 20.1 mg/m ³
PNEC	Fresh water; 0.06 mg/l marine water; 0.006 mg/l
	M-PHENYLENEBIS(METHYLAMINE) (CAS: 1477-55-0)
PNEC	Fresh water; 0.94 mg/l marine water; 0.0094 mg/l

8.2. Exposure controls





Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	The following protection should be worn: Chemical splash goggles.
Hand protection	Use protective gloves. It is recommended that gloves are made of the following material: Viton rubber (fluoro rubber). Nitrile rubber. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.
Other skin and body	Wear appropriate clothing to prevent any possibility of skin contact.

vvear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures	Provide eyewash station and safety shower. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Combination filter, type A2/P2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Yellowish.	
Odour	Amine.	
Melting point	Not determined.	
Initial boiling point and range	ca. 135°C	
Flash point	ca. 86°C	
Vapour pressure	0.3 hPa @ °C	
Solubility(ies)	Not miscible or difficult to mix.	
Auto-ignition temperature	380°C	
Viscosity	600 mPa s @ 20°C	
Explosive properties	Not considered to be explosive.	
9.2. Other information		
Other information	No information required.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	No decomposition if used according to specifications.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	No potentially hazardous reactions known.	
10.4. Conditions to avoid		
Conditions to avoid	No further relevant information available.	
10.5. Incompatible materials		
Materials to avoid	Strong oxidising agents.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	Poisonous gases/vapours Corrosive gases/vapours	
SECTION 11: Toxicological in	formation	
11.1. Information on toxicological effects		

11.1. Information on toxicological effects

Acute toxicity - dermal ATE dermal (mg/kg)	73,600.0
Inhalation	Vapour may irritate respiratory system/lungs.
Ingestion	Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.
Skin contact	May cause skin irritation/eczema.
Eye contact	Causes burns.
Toxicological information on ingredients.	

BENZYL ALCOHOL

Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	1,360.0	
Species	Mouse	
ATE oral (mg/kg)	1,360.0	
Acute toxicity - dermal		
Acute toxicity dermal (LD₅₀ mg/kg)	2,000.0	
Species	Rabbit	
	2,4,6	-TRIS(DIMETHYLAMINOMETHYL)PHENOL
Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	2,169.0	
Species	Rat	
ATE oral (mg/kg)	500.0	
		M-PHENYLENEBIS(METHYLAMINE)
Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	930.0	
	930.0 Rat	
mg/kg)		
mg/kg) Species	Rat	
mg/kg) Species ATE oral (mg/kg)	Rat 930.0	
mg/kg) Species ATE oral (mg/kg) <u>Acute toxicity - dermal</u> Acute toxicity dermal (LD₅o	Rat 930.0	

ISOPHORONEDIAMINE

Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	1,030.0	
Species	Rat	
ATE oral (mg/kg)	1,030.0	
Acute toxicity - dermal		
Acute toxicity dermal (LD₅ mg/kg)	1,840.0	
Species	Rabbit	
ATE dermal (mg/kg)	1,840.0	
		3-AMINOPROPYLDIMETHYLAMINE
Acute toxicity - oral		
Acute toxicity oral (LD₅₀ mg/kg)	410.0	
Species	Rat	
ATE oral (mg/kg)	410.0	
Acute toxicity - dermal		
Acute toxicity dermal (LD₅₀ mg/kg)	1,200.0	
Species	Rat	
Species Acute toxicity - inhalation	Rat	
-	Rat 24.8	
Acute toxicity - inhalation		
Acute toxicity - inhalation Acute toxicity inhalation (LC50 vapours mg/l)	24.8	
Acute toxicity - inhalation Acute toxicity inhalation (LC50 vapours mg/l) Species ATE inhalation (vapours	24.8 Rat	4,4'-ISOPROPYLIDENEDIPHENOL
Acute toxicity - inhalation Acute toxicity inhalation (LC50 vapours mg/l) Species ATE inhalation (vapours	24.8 Rat	4,4'-ISOPROPYLIDENEDIPHENOL
Acute toxicity - inhalation Acute toxicity inhalation (LC ₅₀ vapours mg/l) Species ATE inhalation (vapours mg/l)	24.8 Rat	<u>4,4'-ISOPROPYLIDENEDIPHENOL</u>
Acute toxicity - inhalation Acute toxicity inhalation (LC ₅₀ vapours mg/l) Species ATE inhalation (vapours mg/l) Acute toxicity - oral Acute toxicity oral (LD ₅₀	24.8 Rat 24.8	<u>4,4'-ISOPROPYLIDENEDIPHENOL</u>
Acute toxicity - inhalation Acute toxicity inhalation (LC ₅₀ vapours mg/l) Species ATE inhalation (vapours mg/l) Acute toxicity - oral Acute toxicity oral (LD ₅₀ mg/kg)	24.8 Rat 24.8 3,250.0	<u>4,4'-ISOPROPYLIDENEDIPHENOL</u>
Acute toxicity - inhalation Acute toxicity inhalation (LC50 vapours mg/l) Species ATE inhalation (vapours mg/l) Acute toxicity - oral Acute toxicity oral (LD50 mg/kg) Species	24.8 Rat 24.8 3,250.0 Rat	4,4'-ISOPROPYLIDENEDIPHENOL
Acute toxicity - inhalation Acute toxicity inhalation (LC50 vapours mg/l) Species ATE inhalation (vapours mg/l) Acute toxicity - oral Acute toxicity oral (LD50 mg/kg) Species ATE oral (mg/kg)	24.8 Rat 24.8 3,250.0 Rat 3,250.0	4,4'-ISOPROPYLIDENEDIPHENOL
Acute toxicity - inhalation Acute toxicity inhalation (LC50 vapours mg/l) Species ATE inhalation (vapours mg/l) Acute toxicity - oral Acute toxicity oral (LD50 mg/kg) Species ATE oral (mg/kg) Acute toxicity - dermal Acute toxicity - dermal	24.8 Rat 24.8 3,250.0 Rat 3,250.0	<u>4,4'-ISOPROPYLIDENEDIPHENOL</u>
Acute toxicity - inhalation Acute toxicity inhalation (LC50 vapours mg/l) Species ATE inhalation (vapours mg/l) Acute toxicity - oral Acute toxicity oral (LD50 mg/kg) Species ATE oral (mg/kg) Acute toxicity - dermal Acute toxicity - dermal Acute toxicity dermal (LD50 mg/kg)	24.8 Rat 24.8 3,250.0 Rat 3,250.0 3,000.0	<u>4,4'-ISOPROPYLIDENEDIPHENOL</u>

	Acute toxicity inhalation (LC∞ vapours mg/l)	5.0
	Species	Rat
SECTION 1	2: Ecological information	
	•	
Ecotoxicity		on possible environmental effects have been found.
12.1. Toxicit Ecological in	l <u>y</u> nformation on ingredients.	
<u></u>		BENZYL ALCOHOL
	Acute aquatic toxicity	
	Acute toxicity - fish	LC50, 96 hours: 10 mg/l, Lepomis macrochirus (Bluegill)
	Acute toxicity - aquatic invertebrates	EC₅₀, 24 hours: 400 mg/l, Daphnia magna
		2,4,6-TRIS(DIMETHYLAMINOMETHYL)PHENOL
	Acute aquatic toxicity	
	Acute toxicity - fish	LC₅₀, 24 hours: 222 mg/l, Oncorhynchus mykiss (Rainbow trout)
	Acute toxicity - aquatic plants	LC₅₀, 72 hours: 84 mg/l, Scenedesmus subspicatus
		M-PHENYLENEBIS(METHYLAMINE)
	Acute aquatic toxicity	
	Acute toxicity - fish	LC50, 96 hours: 87.6 mg/l, Oryzias latipes (Red killifish) LC₅₀, 96 hours: >100 mg/l, Oncorhynchus mykiss (Rainbow trout) LC₅₀, 96 hours: >100 mg/l, Brachydanio rerio (Zebra Fish)
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 15.2 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	EC _∞ , 72 hours: 20.3 mg/l, Selenastrum capricornutum
		ISOPHORONEDIAMINE
	Acute aquatic toxicity	
	Acute toxicity - fish	LC50, 96 hours: 110 mg/l, Leuciscus idus (Golden orfe)
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 23 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	EC₅₀, 72 hours: >50 mg/l, Scenedesmus subspicatus
		3-AMINOPROPYLDIMETHYLAMINE
	Acute aquatic toxicity	
	Acute toxicity - fish	LC ₈₀ , 96 hours: 122 mg/l, Leuciscus idus (Golden orfe)
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 59.5 mg/l, Daphnia magna

	Acute toxicity - ac plants	quatic LC₅₀, 72 hours: 53.5 mg/l, Scenedesmus subspicatus
		4,4'-ISOPROPYLIDENEDIPHENOL
	Acute aquatic tox	sicity
	Acute toxicity - fis	sh EC ₈₀ , 96 hours: 42 mg/l, Fish
12.2. Persis	tence and degrada	ability
Persistence	and degradability	No further relevant information available.
12.3. Bioaco	cumulative potentia	<u>al</u>
Bioaccumul	ative potential	No further relevant information available.
12.4. Mobili	ty in soil	
Mobility		No further relevant information available.
12.5. Result	ts of PBT and vPvE	3 assessment
Results of F assessment	PBT and vPvB t	No information available.
12.6. Other	adverse effects	
Other adver	rse effects	Not determined.
SECTION 1	3: Disposal conside	erations
13.1. Waste	e treatment method	
Disposal me	ethods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 1	4: Transport inform	nation
14.1. UN nu		
14.1. 01110	Imber	
UN No. (AD		2735
	PR/RID)	2735 2735
UN No. (AD	DG)	
UN No. (AD UN No. (IMI	DG) AO)	2735
UN No. (AD UN No. (IMI UN No. (ICA UN No. (AD	DG) AO)	2735 2735 2735
UN No. (AD UN No. (IMI UN No. (ICA UN No. (AD	PR/RID) DG) AO) NN) oper shipping name	2735 2735 2735
UN No. (AD UN No. (IMI UN No. (ICA UN No. (AD 14.2. UN pro Proper ship (ADR/RID)	PR/RID) DG) AO) NN) oper shipping name ping name	2735 2735 2735 <u>e</u> 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-
UN No. (AD UN No. (IMI UN No. (ICA UN No. (AD <u>14.2. UN pro</u> Proper ship (ADR/RID) Proper ship	PR/RID) DG) AO) ON) oper shipping name ping name ping name (IMDG)	2735 2735 2735 e 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3- Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS) 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-
UN No. (AD UN No. (IMI UN No. (ICA UN No. (AD <u>14.2. UN pro</u> Proper ship (ADR/RID) Proper ship	PR/RID) DG) AO) ON) oper shipping name ping name ping name (IMDG)	 2735 2735 2735 e 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS) 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS) 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS)
UN No. (AD UN No. (IM UN No. (ICA UN No. (AD <u>14.2. UN pr</u> Proper ship (ADR/RID) Proper ship Proper ship	PR/RID) DG) AO) ON) oper shipping name ping name ping name (IMDG) ping name (ICAO)	 2735 2735 2735 2735 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS) 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS) 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS) 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS) 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS)
UN No. (AD UN No. (IM UN No. (ICA UN No. (AD <u>14.2. UN pr</u> Proper ship (ADR/RID) Proper ship Proper ship	PR/RID) DG) AO) N) <u>oper shipping name</u> ping name (IMDG) ping name (ICAO) ping name (ADN)	 2735 2735 2735 2735 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS) 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS) 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS) 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS) 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (N,N-dimethyl-1,3-diaminopropane, 1,3-Benzoldimethanamine), ENVIRONMENTALLY HAZARDOUS)

ADR/RID label	8
IMDG class	8
ICAO class/division	8
ADN class	8

Transport labels



14.4. Packing group

ADR/RID packing group	II
IMDG packing group	П
ICAO packing group	П
ADN packing group	П

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



No.

14.6. Special precautions for user

· · ·	
IMDG Code segregation group	18. Alkalis
EmS	F-A, S-B
ADR transport category	2
Emergency Action Code	2X
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)
14.7. Transport in bulk accordi	ng to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for Substances and Preparations.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information		
Revision comments	3	
Issued by	UK Regulatory and Product Compliance Officer	
Revision date	07/09/2022	
Supersedes date	21/01/2022	
SDS number	20365	
Hazard statements in full	 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H360F May damage fertility. H360Fd May damage fertility. Suspected of damaging the unborn child. H361d Suspected of damaging the unborn child. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. 	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.