

Printing date 10.03.2017

Version number 5

Revision: 13.12.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: ARDEX P 10 SR - component B

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Reaction resin
- \cdot 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:
- · ARDEX UK Ltd
- \cdot Homefield Road
- · CB9 8QP Haverhill Suffolk
- *T: 01440 714939 F: 01440 716667*
- \cdot safetydatasheets@ardex.co.uk
- **1.4 Emergency telephone number:** +44 (0) 870 190 6777 24 Hours

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Warning

· Hazard-determining components of labelling: Silicic acid, sodium salt · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. · Precautionary statements P261 Avoid breathing mist/vapours/spray. P280 Wear protective gloves / eye protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention.

(Contd. on page 2)



Printing date 10.03.2017

Version number 5

Revision: 13.12.2016

(Contd. of page 1)

Trade name: ARDEX P 10 SR - component B

P337+P313 If eye irritation persists: Get medical advice/attention.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 1344-09-8 Silicic acid, sodium salt EINECS: 215-687-4 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 Reg.nr.: 01-2119448725-31 50-100%

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact Clean with water and soap. If possible, also wash with polyethylene glycol 400.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

- · 6.2 Environmental precautions:
- Do not allow to enter sewers/ surface or ground water.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 3)

GB •



Printing date 10.03.2017

Version number 5

Revision: 13.12.2016

Trade name: ARDEX P 10 SR - component B

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from frost.
- Keep receptacle tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · 8.1 Control parameters
- Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures
- The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- Recommended filter device for short term use: Combination filter A-P2
- · Protection of hands:



Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

• Material of gloves

Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.35 mm

(Contd. on page 4)

(Contd. of page 2)

- GB



Material safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.03.2017

Version number 5

Revision: 13.12.2016

Trade name: ARDEX P 10 SR - component B

(Contd. of page 3) The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

 \cdot Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

| 9.1 Information on basic physical and ch General Information | nemical properties | |
|--|---|-------------------|
| Appearance: Form: Colour: Smell: Odour threshold: | Fluid Colourless Characteristic Not determined. | |
| pH-value: | Not determined. | |
| Change in condition Melting point/freezing point: Initial boiling point and boiling range: | Undetermined. Undetermined. | |
| Flash point: | Not applicable. | |
| Inflammability (solid, gaseous) | Not applicable. | |
| Ignition temperature: | | |
| Decomposition temperature: | Not determined. | |
| Self-inflammability: | Product is not selfigniting. | |
| Explosive properties: | Product does not present an explosion hazard. | |
| Critical values for explosion: Lower: Upper: | Not determined. Not determined. | |
| Steam pressure at 20 •C: | 23 hPa | |
| Density at 20 °C Relative density Vapour density Evaporation rate | 1.48 g/cm ³ (EN ISO 2811-1) Not determined. Not determined. Not determined. | |
| Solubility in / Miscibility with Water: | Not miscible or difficult to mix. | |
| Partition coefficient: n-octanol/water: | Not determined. | |
| Viscosity: dynamic at 20 °C: | 270 mPas (ISO 2555) | (Contd. on page : |



Version number 5

Revision: 13.12.2016

Trade name: ARDEX P 10 SR - component B

| kinematic: | Not determined. | (Contd. of page 4) |
|-------------------------|--|--------------------|
| · Solvent content: | | |
| Organic solvents: | 0.0 % | |
| Water: | 48.0 % | |
| VOC | 0.0 % | |
| | 0.00 % | |
| Solids content: | 52.0 % (DIN EN 827.8.2) | |
| • 9.2 Other information | No further relevant information available. | |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

Reacts with light alloys to form hydrogen.

Strong exothermic reaction with acids.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

1344-09-8 Silicic acid, sodium salt

Dermal LD50 >5000 mg/kg (rabbit)

>2000 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- \cdot Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

GB



Printing date 10.03.2017

Material safety data sheet according to 1907/2006/EC, Article 31

Version number 5

Revision: 13.12.2016

Trade name: ARDEX P 10 SR - component B

\cdot Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 04 00 wastes from MFSU of adhesives and sealants (including waterproofing products)

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

| SECTION 14: Transport informat | ion | |
|--|--|--|
| · 14.1 UN-Number | | |
| · ADR, ADN, IMDG, IATA | Void | |
| • 14.2 UN proper shipping name | | |
| ADR, ADN, IMDG, IATA | Void | |
| • 14.3 Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA | | |
| Class | Void | |
| 14.4 Packing group | | |
| ADR, IMDG, IATA | Void | |
| 14.5 Environmental hazards: | | |
| Marine pollutant: | No | |
| 14.6 Special precautions for user | Not applicable. | |
| 14.7 Transport in bulk according to Anne | ex II of | |
| Marpol and the IBC Code | Not applicable. | |
| · Transport/Additional information: | Not dangerous according to the above specifications. | |
| UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 7)

- GB -

(Contd. of page 5)



Printing date 10.03.2017

Material safety data sheet according to 1907/2006/EC, Article 31

Version number 5

Revision: 13.12.2016

(Contd. of page 6)

Trade name: ARDEX P 10 SR - component B

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

- · National regulations
- · Other regulations, limitations and prohibitive regulations
- · GEV-Guidline/EMICODE:
- EC 1 plus R, "very low emission"
- (as ready-for-use mixture with component A)
- *VOC*:
- **VOC (EU)** 0,0 g/l
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 \cdot * Data compared to the previous version altered.