

ARDEX A 70 GYPFLO



Safety Data Sheet

according to Regulation according to Regulation (EC) No 1907/2006
Revision date: 17.10.2023

Supersedes: 19.03.2020

ARDEX A 70 GYPFLO

Revision date: 17.10.2023

Product code: 37373

Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form: Mixture
Product name: ARDEX A 70 GYPFLO
Product code: 37373

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Building and construction work.
Building and construction preparations not covered elsewhere.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Ardex UK Limited
Homefield Road
CB9 8QP Haverhill Suffolk
T 01440 714939 - F 01440 716667 E-mail address of competent person responsible for the SDS : safetydatasheets@ardex.co.uk
Emergency number : +44 (0) 870 190 6777 - 24 Hours

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1; H314
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

calcium hydroxide 100 %

Signal word: Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves and eye/face protection.
P260 Do not breathe dusts or mists.
P264 Wash hands thoroughly after handling.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

anhydrous calcium sulfate

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification			
1305-62-0	calcium hydroxide 100 %			1 - < 5 %
	215-137-3		01-2219475151-45	
	Skin Irrit. 2, Eye Dam. 1, STOT SE 3; H315 H318 H335			

Full text of H and EUH statements: see section 16.



ARDEX A 70 GYPFLO

Revision date: 17.10.2023

Product code: 37373

Page 2 of 6

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1305-62-0	215-137-3	calcium hydroxide 100 %	1 - < 5 %
		dermal: LD50 = > 2500 mg/kg; oral: LD50 = 7340 mg/kg	

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

In all cases of doubt, or when symptoms persist, seek medical advice.
Never give anything by mouth to an unconscious person or a person with cramps.
If unconscious but breathing normally, place in recovery position and seek medical advice.

After inhalation

Provide fresh air. Remove casualty to fresh air and keep warm and at rest.
In case of irregular breathing or respiratory arrest provide artificial respiration.

After contact with skin

Wash with plenty of water. Change contaminated clothing.
Wash with plenty of water/?.
Do not wash with: Solvent/Thinner.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

Rinse mouth immediately and drink plenty of water. If swallowed, rinse mouth with water (only if the person is conscious).
Call a physician immediately.
Put victim at rest, cover with a blanket and keep warm.
Do NOT induce vomiting.
Caution if victim vomits: Risk of aspiration!

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. alcohol resistant foam. Carbon dioxide. Powder. Water fog.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn. Burning produces heavy smoke.
Danger of serious damage to health by prolonged exposure.
Use appropriate respiratory protection.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers.
Do not allow water used to extinguish fire to enter drains or waterways.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid breathing dust/fume/gas/mist/vapours/spray.
See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal. Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Collect in closed containers for disposal.
Clean with detergents. Avoid solvent cleaners.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**



ARDEX A 70 GYPFLO

Revision date: 17.10.2023

Product code: 37373

Page 3 of 6

Advice on safe handling

Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray. When using do not eat, drink or smoke. Wear personal protection equipment.

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed.

Hints on joint storage

Do not store together with: Oxidizing agents. Strong acid, strong alkalis

Further information on storage conditions

storage temperature: +5 - +30 °C

Keep container tightly closed and in a well-ventilated place. Keep container dry.

When using do not smoke.

Access is only to be granted to authorised personal.

Always close containers tightly after the removal of product.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1305-62-0	Calcium hydroxide	-	5		TWA (8 h)	WEL

8.2. Exposure controls**Appropriate engineering controls**

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

Suitable material:

In case of prolonged or frequently repeated skin contact: NBR (Nitrile rubber).

penetration time (maximum wearing period): 0,5 h

See information supplied by the manufacturer.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

Skin protection

not applicable

Respiratory protection

not applicable

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	solid
Colour:	light grey
Odour:	odourless

pH-Value (at 20 °C): 12 (0,2%)

Changes in the physical state

Melting point/freezing point: 1450 °C

Flammability**Test method**



ARDEX A 70 GYPFLO

Revision date: 17.10.2023

Product code: 37373

Page 4 of 6

Solid: not applicable

Explosive properties

not relevant

Lower explosion limits:

Upper explosion limits:

Auto-ignition temperature:

not applicable

Self-ignition temperature

Solid:

not relevant

Gas:

not relevant

Oxidizing properties

Not oxidizing.

Density (at 20 °C):

2,69 g/cm³ EN 1097-7

Bulk density:

800 - 1000 kg/m³

Water solubility:

2 g/L

(at 20 °C)

9.2. Other information

Solid content: 100 %

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reactions when handling and storage.

10.2. Chemical stability

No decomposition if stored and handled correctly.

10.3. Possibility of hazardous reactions

Exothermic reactions with: Oxidizing agents. Strong acid, strong alkalis

10.4. Conditions to avoid

In case of warming: Thermal decomposition.

10.6. Hazardous decomposition products

Carbon monoxide Carbon dioxide. Nitrogen oxides (NOx).

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1305-62-0	calcium hydroxide 100 %				
	oral	LD50 mg/kg	7340	Rat	OECD 425.
	dermal	LD50 mg/kg	> 2500	Rabbit	OECD 402

Irritation and corrosivity

Causes severe skin burns and eye damage. (On basis of test data)

Causes serious eye damage. (On basis of test data)

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information



ARDEX A 70 GYPFLO

Revision date: 17.10.2023

Product code: 37373

Page 5 of 6

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1305-62-0	calcium hydroxide 100 %					
	Acute fish toxicity	LC50	50,6 mg/l	96 h		
	Acute algae toxicity	ErC50	185 mg/l	72 h		
	Acute crustacea toxicity	EC50	49,1 mg/l	48 h		

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

No information available.

Further information

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC). There are no data available on the preparation/mixture itself.

Do not allow to enter into surface water or drains.

The information about ecology refers to the active component.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains.

Remove according to the regulations.

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled. Completely emptied packages can be recycled.

Remove according to the regulations.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: -

14.2. UN proper shipping name: -

14.3. Transport hazard class(es): -

14.4. Packing group: -

Other applicable information (land transport)

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number: -

14.2. UN proper shipping name: -

14.3. Transport hazard class(es): -

14.4. Packing group: -

Other applicable information (inland waterways transport)

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number: -

14.2. UN proper shipping name: -

14.3. Transport hazard class(es): -

14.4. Packing group: -

Other applicable information (marine transport)

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: -

14.2. UN proper shipping name: -

14.3. Transport hazard class(es): -

14.4. Packing group: -



ARDEX A 70 GYPFLO

Revision date: 17.10.2023

Product code: 37373

Page 6 of 6

Other applicable information (air transport)

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

SECTION 16: Other information**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Building and construction preparations not covered elsewhere	IS	19	9b	19	5	4g	32, 39	

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)