



...wedi®



**A strong
connection
that you can
build on**

ARDEXGROUP



wedi manufactures a comprehensive range of high-performance, waterproof building systems for bathrooms, wet rooms, and wellness areas. With a focus on innovation and prefabrication, wedi is committed to delivering solutions that simplify installation while ensuring long-term reliability and protection.

wedi systems are supported by expert technical and field specialists who offer valuable insights and on-site support to architects, designers, contractors, and professional installers helping to ensure efficient, safe, and high-quality project outcomes.



ARDEX manufacture an extensive range of high-performance flooring and tiling products and is committed to matching the right product with the right installation method to minimize time, cost and risk.

ARDEX products are supported by unparalleled technical and field experts, who provide valuable product knowledge and job site consultation to architects, building engineers, construction managers, specialist contractors, and professional flooring installers and tile fixers.



Easy bathroom renovation with ARDEX and WEDI

Renovating an old bathroom is often complicated – including removing old tiles and bathroom fixtures and fittings and then making backgrounds fit for modern tiles and shower or bath fittings. Suitable solutions, high-quality materials and proven systems are crucial. With ARDEX and WEDI, we offer security and expert support for your project.

With system-tested construction recommendations, we can provide tailor-made solutions for every construction site situation. With a flexible product portfolio and innovative solutions, ARDEX and WEDI offer a complete package.

Contents

INTRODUCTION

Introduction to ARDEX Group 2

PREPARATION

Quickly and safely prepare walls 4

Filling or Repair 5

Smoothing solid floors and filling in screeds 6

SHOWER FLOORS

Classic system with separate drain technology 7

Complete system with integrated drain technology 8

Sealing, Bonding and Grouting 9-10

How it works 11

SHOWER AREAS

wedi Sanwell wall 12

Bench and loungers 13

Sealing, Bonding and Grouting 13-14

How it works 15

TOILETS

I-Board and I-Board Plus 16

Bonding and Grouting 17

How it works 18

WASH AREA

Floating washbasin with trough 19

Bonding and Grouting 20

How it works 21

ENERGY EFFICIENCY

wedi building boards 22

Underfloor heating – wedi Preline 22-23

Waterproofing, Bonding and Grouting 24

How it works 25

SURFACES

wedi Top Line 26

Endless options for tiling 27

Install floor covering safely with ARDEX 28

ACCESSIBLE PVC-FINISHED SHOWERS 29

SPA AND WELLNESS 30

wedi spa options 31

Sealing, Bonding and Grouting 32

SUPPORT AND SERVICES 33

ARDEX GROUP WARRANTY 34

GIVBAX REWARDS 35

Preparation

No substrate is perfect – with ARDEX and WEDI, we can help with the best substrate preparation products.


Quickly and safely prepare walls

Broken tiles or old adhesive residue, the first step is to prepare and fill the walls.

The solution is right at your fingertips: with wedi construction panels and building products from ARDEX.

Make uneven walls a thing of the past with wedi building boards – heat-insulating, versatile, lightweight, stable and 100% waterproof. This is guaranteed by wedi!

If the substrate is old, or only partially load bearing, with wedi board you can create a robust, flat substrate in no time.



Create smooth walls fast and easy

Whether you are renovating or planning a new construction, we offer innovative and high-quality products to get the most out of your walls and ceilings.

Our products allow you to quickly, effectively and effortlessly eliminate the holes and defects of your wall and ceiling surfaces.

This will give you a solid foundation for your wall design, letting you enjoy your new bathroom for a long time. You can trust our innovative products to make your work more efficient and successful.


Filling or Repair

If you need to fill holes or repair damage in the background, ARDEX has the perfect products for filling and smoothing including:


ARDEX P 51 Primer - a ready-to-use, acrylic primer for preparing absorbent surfaces.



ARDEX A 950 Flex Mortar - a multi-purpose rapid-drying, deep-fill renovation compound that can be tiled over in as little as 90 minutes.



ARDEX A 46 - a multi-purpose concrete repair mortar for filling cracks, gaps and holes up to 50mm deep.



ARDEX AM 100 – rapid-set one coat tiling render – create a smooth flat surface. Use from 2-30mm in a single application.



Smoothing solid floors and filling in screeds

Appropriate preparation is crucial for all floor surfaces. Fill all holes, repair cracks, strengthen and level floors with WEDI and ARDEX solutions.

Priming:

ARDEX P 51 Primer - a ready-to-use, acrylic primer for preparing absorbent surfaces.



Repairing Holes and bumps:

ARDEX A 46 - a multi-purpose concrete repair mortar for filling cracks, gaps and holes up to 50mm deep.



Smoothing the Floor:

ARDEX K 40 HB – high build, fibre-reinforced levelling and smoothing compound.




ARDITEX NA - a rapid-setting smoothing and levelling compound that provides excellent adhesion to almost all substrates without the need to prime.



Filling of Cracks:

ARDEX P 10 SR – rapid-hardening concrete crack repair kit. Solvent-free polymer modified resin system. Load bearing in as little as 20 minutes.



Screed layer

ARDEX A 38 – ultra rapid-drying cement for internal and external screeds that is walkable in 3 hours. Use as in-fill layer between fundo trays.



Shower Floors

Whether your showers are with point or linear drainage, whether you're designing or installing a classic shower element, or with a complete integrated drainage technology: the enormous variety of wedi Fundo shower systems offer the right solution for every situation.


In fact wedi have got more than 600 solutions for your project.

Classic system with separate drain technology

The perfect combination! For classic shower systems, the wedi Fundo shower elements offer the right drainage for every installation situation. Different design covers are available for both point drains and linear drains.

FUNDO PRIMO & LIGNO PLUS

- Different options for timber or screed floors
- Rectangular or Square
- Centre or off-centre drains



FUNDO RIOLITO NEO

- Various channel lengths
- Rectangular or Square
- Drain close to the wall




FUNDO FLEX

- Fully adaptable modular shower systems
- Multiple install option for timber and screed floors
- Customizable drain position due to modular design




Complete system with integrated drain technology

Super practical, super safe: For all wedi Fundo complete systems, the drain is already integrated into the shower element at the factory. This not only saves time on the construction site, but also reduces the installation height.




FUNDO INTEGRO

- Connecting cable: DN 50
- Flat & compliant
- 7 different sizes




FUNDO PLANO

- Connecting cable: DN 40
- Extremely flat
- 6 different sizes



FUNDO PLANO LINEA

- Connecting cable: DN 40
- Extremely flat
- 4 different sizes



Sealing, Bonding and Grouting

With ARDEX waterproofing, bonding and grouting solutions, your shower floors will be built to last for years to come.

Lightweight filling:

ARDEX A 38 – ultra rapid-drying cement for internal and external screeds that is walkable in 3 hours.



Waterproofing (sealing):

ARDEX WPC – Complete two-part shower waterproofing kit, offering reliable tanking solutions and waterproof coatings for long-lasting protection.



ARDEX S 7 PLUS - Flexible, one-component sealing slurry for sealing with variable consistency adjustment and a very wide range of applications.



ARDEX SK 12 TAPES



Bonding:

ARDEX has a number of bonding options, but we would recommend:

ARDEX X 78 – A semi-pourable MICROTEC tile adhesive for solid-bed fixing shower trays or tiles.



Grouting:

ARDEX FLEX-FL or FLEX-FS – use FLEX-FL for joints 3-15mm wide or FLEX-FS for joints up to 4mm wide. FLEX-FL is rapid-setting and allows tiles to be trafficked after just 90 minutes. FS is standard setting and offers a consistent, streak-free finish. Available in 35 different colours to suit any tiling installation.





Silicone:

ARDEX ST - high-quality neutral-cure silicone sealant and grout for superior sealing, providing flexibility and durability for bathroom and kitchen projects. Colour-matched to ARDEX FLEX grouts.





How it works:

1. Align the position of the wedi Fundo drain pot.



2. Fill the shower area with ARDEX A 38 Screed.

3. Apply ARDEX X 78 to the entire surface of the wedi Fundo shower element and then fit it to the floor.



4. Seal all transitions and joints with ARDEX S 7 PLUS or ARDEX WPC. Use ARDEX SK 12 tapes and SK 90 and SK 270 corner tapes.

Shower Areas


Designing and installing a shower as a personal wellness oasis is easy with an ARDEX and WEDI solution.

wedi Sanwell wall

The wedi Sanwell wall element, turns old bricks into a modern setup quickly and easily. The stable wall element with integrated niche is ideal for use as a shower partition, is particularly easy to install and can then be tiled directly. Both the overall size and the niche format of the wedi Sanwell wall element can be individually adapted.

The wedi Sanwell wall offers a host of benefits over the traditional construction of walls with masonry/concrete or drywall profiles.


The wedi Sanwell wall saves time on the construction site, and means contractors can work efficiently, easily and safely at the same time – with the high-quality wedi wall solutions



wedi Sanwell shower wall and XS shower wall modules: full of technology, free of water


The wedi Sanwell shower wall module simplifies and speeds up installation whilst offering long-term safety at the same time. It is suitable for installation on the existing substrate or as a free-standing shower partition and is available in various thicknesses and widths. Depending on the initial situation, factory-integrated technical components can be placed at the appropriate height for each customer.

At only 300 mm wide and 50 mm thick, the wedi Sanwell XS shower wall module offers an extremely compact system solution for shower back wall design with surface-mounted fittings. It has factory-integrated cold and hot water pipes as well as a built-in reinforcement plate for on-site installation of a shower rod. In combination with the wedi building board, it makes it easy to build a shower area from scratch.



Bench and Loungers

wedi has a range of Sanoasa benches and loungers that are available in almost any seating combination. Whether it is benches, corner constructions, clean end solutions or loungers – once tiled with an ARDEX tiling solution, they set apart bathrooms and wellness facilities.



Sealing, Bonding and Grouting

Mounting:

wedi 60 adhesive and sealant – A one-component adhesive and sealant designed for bonding wedi building boards, sealing surfaces and waterproofing joints.



Sealing:

ARDEX WPC - Flexible rapid drying waterproof coating for internal wet areas. A simple two-part mix which dries in 90 minutes. Can be made thicker for filling in holes and gaps.



ARDEX SK 12 TAPES and corner tapes



Bonding:

ARDEX has a number of bonding options, but we would recommend:

Floors:

ARDEX X 78 – A semi-pourable MICROTEC floor tile adhesive for solid-bed fixing shower trays or tiles.



Walls:

ARDEX X 77 – A high yield MICROTEC flexible tile adhesive. Available in standard or rapid-set formulations.



Grouting:

ARDEX FLEX-FL or FLEX-FS – use FLEX-FL for joints 3-15mm wide or FLEX-FS for joints up to 4mm wide. FLEX-FL is rapid-setting and allows tiles to be trafficked after just 90 minutes. FS is standard setting and offers a consistent, streak-free finish. Available in 35 different colours to suit any tiling installation.





Silicone:

ARDEX ST - high-quality neutral-cure silicone sealant and grout for superior sealing, providing flexibility and durability for bathroom and kitchen projects. Colour-matched to ARDEX FLEX grouts.




How it works:

1. Cut the sanwell wall to the desired shape and size.



2. Secure with wedi 610 adhesive and sealant.

3. Seal all transitions and joints with ARDEX WPC. Use ARDEX SK 12 tapes and SK 90 and SK 270 corner tapes.




4. Tile with ARDEX X 77 and grout with ARDEX FLEX grouts. Seal where required with ARDEX ST Sealants.

Toilets

Easy and quick cladding for toilets with wedi pre-wall installations.

wedi offers the I-Board and I-Board Plus – which are ready-to-use installation boards for the cladding of wall-hung toilets.

Thanks to its width of 1,200 mm, it can be easily adapted to practically any requirements and, despite its low weight, it is extremely stable and resilient. Thanks to the reinforcement panel integrated in the factory, wedi I-Board Plus can be plastered (plaster thickness ≥ 3 mm) or tiled with mosaics (from 2×2 cm).



Bonding and Grouting

Adhere:

wedi 610 adhesive and sealant – A one-component adhesive and sealant designed for bonding wedi building boards, sealing surfaces and waterproofing joints.



Bonding:

ARDEX X 78 or ARDEX X 77 for walls and vertical surfaces - Highly flexible MICROTEC tile adhesives. Standard or Rapid-Set versions available.



Grouting:

ARDEX FLEX-FL or FLEX-FS – use FLEX-FL for joints 3-15mm wide or FLEX-FS for joints up to 4mm wide. FLEX-FL is rapid-setting and allows tiles to be trafficked after just 90 minutes. FS is standard setting and offers a consistent, streak-free finish. Available in 35 different colours to suit any tiling installation.




Silicone:

ARDEX ST - high-quality neutral-cure silicone sealant and grout for superior sealing, providing flexibility and durability for bathroom and kitchen projects. Colour-matched to ARDEX FLEX grouts.



How it works:

1. If a special format is desired, adapt the i-Board quickly and easily cut out the flush plate.



2. Secure with wedi 610 adhesive and sealant or with metal screws & washers.

3. Cover the side and top surfaces with off-cuts or wedi building board and reinforce butt joint edges.




4. Tile with ARDEX X 77 and grout with ARDEX FLEX grouts. Seal where required with ARDEX ST Sealants.

Wash Area

Floating washbasin with trough

The suspended washbasin wedi Sanbath with channel drain is a real eye-catcher in the bathroom.

Width can vary between 500mm and 1300 mm. The construction board surface can receive almost any surface finish.



Constructions made easy

With the versatile wedi building board, the design options are almost limitless.

Whether individuals, washbasins, creative shower substructures or special individual modular constructions, ideas take shape with the building panels from wedi.

Bonding and Grouting

Bonding:

ARDEX X 77 for walls and vertical surfaces - Highly flexible MICROTEC tile adhesive. Standard or Rapid-Set versions available.



Grouting:

ARDEX FLEX-FL or FLEX-FS – use FLEX-FL for joints 3-15mm wide or FLEX-FS for joints up to 4mm wide. FLEX-FL is rapid-setting and allows tiles to be trafficked after just 90 minutes. FS is standard setting and offers a consistent, streak-free finish. Available in 35 different colours to suit any tiling installation.



ARDEX EG 18 Plus – three-part easy to apply and clean, hygienic and waterproof epoxy tile grout. Suitable for joints 2-12mm wide and available in 5 colours.



Silicone:

ARDEX ST - high-quality neutral-cure silicone sealant and grout for superior sealing, providing flexibility and durability for bathroom and kitchen projects. Colour-matched to ARDEX FLEX grouts.



How it works:

1. Optional: a frame structure clad with wedi construction boards and bonded with wedi 610 adhesive and sealant.



2. Tile the surface with ARDEX X 77.

3. Mount the wedi Sanbath washbasin.



4. Tile with ARDEX X 77 and grout with ARDEX FLEX or ARDEX EG 18 Plus grouts. Seal where required with ARDEX ST Sealants.

Energy Efficiency

Keep energy efficiency in mind for your next renovation and save on energy with ARDEX and WEDI building solutions.

wedi building panel and its underestimated characteristics


The wedi building board is not only waterproof, and the ideal base for plasters and tiles, but also thermally insulating. Depending on the external wall, the heat loss can be reduced by about a half with a 20 mm thick wedi building board.



Thermal conductivity: 0,036 W/(mk)


Underfloor Heating

wedi PreLine: carrier element for hot water heating




wedi PreLine is a fully prepared building board element with factory-cut recesses for the easy installation of a hot water heating system. The strong insulation properties of the material reflect the heat back into the room and ensure balanced heat distribution. In addition, wedi PreLine reduces the construction height of the floor structure to a minimum (from 30 mm) and, in conjunction with the appropriate wedi system accessories, also acts as a waterproofing system.


Product Info:



Perfect for renovation and refurbishment. Low installation height and fast installation



Fast heating and cool down behaviour. Direct release of heat into the tiles



Durable and maintenance-free. Stable and 100% waterproof XPS core

Waterproofing, Bonding and Grouting

Lightweight filling:

ARDEX A 38 – ultra rapid-drying cement for internal and external screeds that is walkable in 3 hours.



Levelling:

ARDITEX NA - a rapid-setting smoothing and levelling compound that provides excellent adhesion to almost all substrates without the need to prime.



Waterproofing - please consult ARDEX or WEDI technical services

Bonding:

wedi 610 adhesive and sealant – A one-component adhesive and sealant designed for bonding wedi building boards, sealing surfaces and waterproofing joints.



ARDEX X 78 – A semi-pourable MICROTEC tile adhesive for solid-bed fixing shower trays or tiles.



Grouting and Sealing:

ARDEX FLEX-FL or FLEX-FS – use FLEX-FL for joints 3-15mm wide or FLEX-FS for joints up to 4mm wide. Available in 35 different colours to suit any tiling installation.





ARDEX ST - high-quality neutral-cure silicone sealant and grout for superior sealing, providing flexibility and durability for bathroom and kitchen projects. Colour-matched to ARDEX FLEX grouts.





How it works:

1. Mount the wedi Preline on the substrate with the ARDEX X 78 adhesive, glue the joints with wedi 610 adhesive and sealant.



2. Laying of commercially available water pipes Ø16 mm and smooth over with ARDITEX NA at 6mm in dry areas only. Smoothing not needed for direct tiling.

3. To the adjacent surfaces, seal with the flexible waterproofing system as recommended by WEDI.



4. Tile with ARDEX X 78 adhesive and grout with ARDEX FLEX grouts


Please contact ARDEX Technical Advisory Service when using these systems for a full recommendation

Surfaces

wedi Top Line:

Seamless design surfaces for wet areas

The wedi Top Line offers a variety of seamless design surfaces in eleven stylish colours and textures. The range consists of perfectly fitted surfaces for wedi Fundo shower elements, as well as selected wedi functional design elements.



Benefits at a glance:

- Modern design, large format and free of joints
- Pleasantly warm surfaces, non-slip in wet areas
- Hygienic advantage thanks to antibacterial surface
- Quick and safe installation without dirt and noise

Endless options for tiling

Not all tile adhesives are the same. Depending on the construction site, there are different requirements for laying tiles. ARDEX offers intelligent and economical system solutions for almost all installation scenarios.

ARDEX X 77 for walls and vertical surfaces -
Highly flexible
MICROTEC tile adhesive.
Standard or Rapid-Set versions available.



ARDEX X 78 – A semi-pourable MICROTEC tile adhesive for solid-bed fixing shower trays or tiles.



ARDEX X 7 G/W

A versatile, flexible standard setting tile adhesive, ideal for ceramic, porcelain and natural stone tile on various surfaces.



ARDEX X 7 R S1 / W

Flexible Rapid Set Tile Adhesive – tiles can be grouted after 3 hours. New improved formulation with fibre technology for improved strength and flexibility with S1 deformability



ARDEX X 11 W -
Enhanced Flexible S1 Tile Adhesive for Walls and Floors with high gel rheology. Semi-rapid technology, means you can grout after just 6-8 hours.



Install floor coverings safely with ARDEX

Whether you want to install carpet, LVT or vinyl – ARDEX has the specific requirements for the adhesive. At ARDEX you will find the perfect adhesive for every application.

ARDEX AF 2575 over ARDITEX NA

A heavy duty flooring adhesive ideal for a number of floor finishes, including luxury vinyl tiles, sheet vinyl, rubber sheet up to 4mm, rubber tiles up to 9mm, and artificial grass.

Install over ARDITEX NA, our rapid-setting levelling and smoothing compound – unaffected by moisture. Install without the need to prime at 10mm minimal depth.



Floor systems for accessible PVC-finished showers


The wedi Fundo Solido delivers accessible, waterproof bathroom floors with PVC finishes, fast, secure and built to last.

An integrated slope eliminates labour-intensive screed formation, a 360° rotatable point drain provides flexible watertight drainage, and coordinated extension boards extend the waterproof foundation beyond the shower area, all without drying-intensive screed work.

Fully cured in just 48 hours, it is ideal for hospitals, care facilities and refurbishment projects where speed matters. With a 4 N/mm² compressive load rating, full wheelchair compatibility, and a 100% recycled PET core, the Fundo Solido delivers reliable, long-term performance with no additional surface sealing required.


BENEFITS:

- 360° dry-fit drain
- 100% waterproof
- Fully cures in 48 hours
- Integrated slope
- Expandable



Spa and Wellness

For the perfect steam room think ARDEX and WEDI. We offer a wide-range of ready-made spa and wellness elements, plus high-performance fixing products. From benches in a wide variety of shapes to unique loungers to practical accessories such as niches and glass doors, the steam baths can be equipped and expanded as desired. All elements can be ordered in standard sizes or individually manufactured to the desired dimensions.



Turn your steam room into a wellness oasis

We offer a variety of options to design your own personal steam room. You can choose the cabin geometry, the design of the vapour coating on the roof, comfortable seating and bath furniture and the technical equipment and furnishings. A multitude of details can be planned and implemented according to the client's requirements.

Sealing, Bonding and Grouting

Install:

wedi 610 adhesive and sealant – A one-component adhesive and sealant designed for bonding wedi building boards, sealing surfaces and waterproofing joints.



Bonding:

ARDEX X 78 or ARDEX X 77 for walls and vertical surfaces - Highly flexible MICROTEC tile adhesives. Standard or Rapid-Set versions available.



Grouting:

ARDEX EG 18 Plus – three-part easy to apply and clean, hygienic and waterproof epoxy tile grout. Suitable for joints 2-12mm wide and available in 5 colours.



Silicone:

ARDEX ST - high-quality neutral-cure silicone sealant and grout for superior sealing, providing flexibility and durability for bathroom and kitchen projects. Colour-matched to ARDEX FLEX grouts.



It's in your hands, let's get it done together!

Support and Services

ARDEX

The ARDEX Group UK don't just manufacture High Performance Building products, we recognise the importance of providing gold standard technical advice and support. We understand your needs differ from project to project, and can often require on-site support, which is why we offer a more mobile, local technical support network.

Our experienced team are available nationwide to offer product recommendations, advice in line with British Standards Code of Practice, support and training, not just over the phone, but in person and on-site. We also offer online services such as video calls, whatsapps and advice through social media.

Our highly experienced Technical Service team are available to attend your site, offering site assessments, advice and guidance on the best use of our products and systems for your project.

We can also offer free Moisture Tests, both Carbide Bomb and Hygrometer tests, explaining the results and recommending the best moisture control system for your installation.

WEDI 10 year guarantee

wedi guarantees 10 years of functionality as a composite sealant within wet rooms and bathrooms for the properties guaranteed in the current valid product information for the following products:

- wedi building board systems
- wedi shower systems
- wedi system accessories
- wedi design elements

Warranty Service

Free replacement of faulty products. Reimbursement of the documented and necessary costs for correction of faults. Reimbursement for damages to third party property (with the exception of reimbursement of financial losses such as lost earnings, the costs of an interruption of operations or halted production).

The prerequisite for access to the wedi GmbH service is that the guaranteed product must be handled in accordance with the valid wedi product information and the damages or defects must be indicated in writing immediately upon discovery. Transportation, installation and handling must be done in accordance with the information provided by wedi GmbH. In agreement with wedi, claims may be assigned and passed on to third parties.

The warranty term covers a period of ten years, beginning on the day of acceptance of the product, to a maximum of 10.5 years as from delivery.

ARDEX Group UK Warranty

ARDEX Group supplies products under a range of brands into the UK and Ireland markets and these brands are now all covered by a unique 10-year group warranty for installations.


The warranty applies to products from a number of ARDEX Group UK brands including ARDEX, BAL, WEDI, Gutjahr, Knopp, Loba and Wakol.

The ARDEX Group UK warranty provides Full System Protection on these products provided they are used in accordance with the relevant product datasheets and terms and conditions.

The ability to have Full System Protection gives you peace of mind that they can use a variety of ARDEX Group branded products in combination on projects and have a warranty from only one company.

So if a project includes tiling using ARDEX products, with Gutjahr uncoupling systems used on problematic floors and XPS board systems from wedi on the walls, with additional soft flooring in areas using ARDEX products, the entire project will be covered by the 10-year group warranty*.

Crucially the warranty does not supersede any superior warranty or guarantee offered by ARDEX or the other brands directly for the product or products purchased.



Year Warranty
FULL SYSTEM PROTECTION*

*T&Cs Apply

GivBax Rewards

GivBax Rewards from ARDEX and BAL is the simplest, most rewarding Loyalty app for contractors and tilers
GivBax Rewards is an App-based loyalty scheme, developed by ARDEX Group UK.

Available to download now from either the App Store or Google Play, you can simply buy ARDEX or BAL products and scan your receipts into the App immediately to earn points. Then redeem points on great rewards – including cash!

How do I earn points?

You can earn points on all ARDEX and BAL branded products, anything from levelling compounds to tile adhesives – and everything in between – and it couldn't be easier; you just scan your receipts or invoices in the App.

There's no need to print off forms or fill in complex paperwork – just take a picture using your phone camera! You can also see what points are gained for each product in the App and instantly see how many points you have garnered, so when you've earned enough, you can convert directly into cash by hitting the "redeem" button.

How can I claim my cash?

Once you've hit "redeem", you'll receive a unique code by text which can be used to withdraw your cash from over 18,000 ATMs in the UK.

No more waiting around for prizes or rewards you don't want or need! In fact, as soon as you earn enough points to redeem, you can select the cash reward.

So, how much are points worth?

It's simple, every point is worth 10p. So, 100 points equals £10.

Each product has a set point value ranging from 1pt to 50pts with the average reward equivalent to 2.5% cashback per product.

They'll also be the opportunity to gain bonus points on certain products during promotional periods! Download GivBax Rewards via the App Store or Google Play.

Also available to use as a microsite via a computer www.GivBax-Rewards.com, but it's always easier to use on the go as an App.

Download it now and enter the following sign-up promo code (MAG1) to earn 10 bonus points, putting you well on your way to your first £10!

GIUBAX
REWARDS



ARDEX UK Technical

+44 (0) 1440 714939
Info@ardex.co.uk

Homefield Road
Haverhill
Suffolk
CB9 8QP

ARDEX.co.uk



Building tomorrow

WEDI

+44 (0) 161 864 2336
info@wedi.co.uk

Unit 4 Mercury Park
Mercury Way
Trafford Park
Manchester
M41 7LY

wedi.co.uk

... wedi®
an ARDEXGROUP Company

